

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-----------------|-----|--|---------------------------------|---------------------------------|------------------------|--------------|--|-------------|
| 833 PV Module | | 8.220-8.245P (220/225/230/235/240/245P) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Abakus Solar AG | YES | ABA M6-60 BLACK (240/245/250/255/260) | Normal Clamps | Normal Clamps | NO | NO | 1628 x 998 x 40mm A : 26,5mm B : 26,5mm | |
| Abakus Solar AG | YES | ANT P6-60-235 (230/235/240/245) | Large Clamps | Large Clamps | NO | Model 1 | 1658 x 986 x 40mm A : 26,5mm B : 26,5mm | |
| Abakus Solar AG | | ABA P6-54 | NO | NO | NO | NO | 1470 x 998 x 40mm A : 26,5mm B : 26,5mm | |
| Abakus Solar AG | YES | ABA P6-60 (230/235/240/245/250) | Normal Clamps | Normal Clamps | NO | NO | 1628 x 998 x 40mm A : 26,5mm B : 26,5mm | |
| Abakus Solar AG | | PEAK ON P230-60R | NO | NO | NO | NO | 1630 x 999 x 40mm A : 45mm B : 45mm | |
| AEG | | AS-M607 / AS-M607B (265/270/275) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Alden | | ALD-240M | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1650 x 992 x 50mm A : 35mm B : 35mm | |
| Aleo Solar | | s_16.175 180_185_190_195 | NO | NO | NO | NO | 1660 x 830 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | | s_17.195 200 | NO | NO | NO | NO | 1660 x 830 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | | s_24.175 180_185_190_195 | NO | NO | NO | NO | 1345 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | | s_77.180 185_190_195_200 | NO | NO | NO | NO | 1660 x 830 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | (new) s_19 gen2 (240/245/250/255) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 30mm B : 30mm | |
| Aleo Solar | YES | s_18.220 225_230_235_240 | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | s_19.225 230_235_240_245 | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | s_79.225 230_235_240_245 | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | S79LXXX (275/280/285) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | S59LXXX (280/285/290/295) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | S19LXXX (295/300) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | S19LXXX (280/285/290) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | S18JXXX (245/250/255/260/265) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Aleo Solar | YES | P18JXXX (250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 35mm A : 19mm B : 19mm | |
| Alfasolar | | pyramid 54 : 195 à 220w | NO | NO | NO | NO | 1464 x 986 x 35mm A : 29mm B : 29mm | |
| Alfasolar | | pyramid 60 mono :250,255,260 | Large Clamps | Large Clamps | NO | NO | 1623 x 986 x 35mm A : 29mm B : 29mm | |
| Alfasolar | | pyramid 60 :235/240/245/250/255/260 | Large Clamps | Large Clamps | NO | NO | 1623 x 986 x 35mm A : 29mm B : 29mm | |
| Alfasolar | | pyramid 80 : 296,301,306,311,316,321,326 | NO | NO | NO | NO | 1623 x 1303 x 35mm A : 29mm B : 29mm | |
| Alfasolar | | M265 (260,255) | Large Clamps | Large Clamps | NO | NO | 1623 x 986 x 35mm A : 29mm B : 29mm | |
| Alfasolar | | 230+ | Large Clamps | Large Clamps | NO | NO | 1623 x 986 x 35mm A : 29mm B : 29mm | |
| Alliantz | | AI 180-185 | NO | NO | NO | NO | 1580 x 808 x 50mm A : 35mm B : 35mm | |
| Alliantz | YES | AI 245-250 | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 35mm B : 35mm | |
| Amerisolar | | AS-5M 170 à 195W | NO | NO | NO | NO | 1580 x 808 x 46mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|---------------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|---|--------------|
| Amerisolar | | AS-5M 200W-250W | NO | NO | NO | NO | 1652 x 1000 x 50mm A : mm B : mm | |
| Amerisolar | | AS-6M30 (225/230/235/240/245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 1000 x 40mm A : 35mm B : 35mm | |
| Amerisolar | | AS-6M30 black (225/230/235/240/245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 1000 x 40mm A : 35mm B : 35mm | |
| Anellion | | HR-XXXP-18/Bp (240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 40mm A : 35mm B : 35mm | |
| Anellion | | HR-XXXP-18/Bp (240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 45mm A : 35mm B : 35mm | |
| Anellion | | HR-XXX-18/Cb (245/250/255/260/265) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 40mm A : 35mm B : 35mm | |
| Anellion | | HR-XXX-18/Cb (245/250/255/260/265) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 45mm A : 35mm B : 35mm | |
| Antaris Solar | | AS M6-SERIE (240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1636 x 992 x 50mm A : 35mm B : 35mm | |
| Antaris Solar | | AS M "PREMIUM" (M190/195/200) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Aprisun | | PV_TA_230_P (235, 240) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1650 x 992 x 50mm A : 35mm B : 35mm | |
| Aprisun | | PV_TA_180 (185 190) | NO | NO | NO | NO | 1581 x 809 x 40mm A : 35mm B : 35mm | |
| Aprisun | | PV-EU-245 et PV-EU-250 | NO | NO | NO | NO | 1657 x 977 x 39,5mm A : mm B : mm | |
| ASM Basic | | ASM-mono x-6 / 230/240/250 | NO | NO | NO | NO | 1650 x 1010 x 42mm A : 22mm B : 22mm | |
| Asola | | 240 245 et 250W/60-156m/2 | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 27mm B : 27mm | |
| Asola | | 180, 185 et 190W/48-156p/2 | NO | NO | NO | NO | 1343 x 990 x 50mm A : 27,2mm B : 27,2mm | |
| Asola | | 195 et 200W/48-156m/2 | NO | NO | NO | NO | 1343 x 990 x 50mm A : 27,2mm B : 27,2mm | |
| Asola | | AS-60M ECO (255/260/265/270/275) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Asola | | AS-60P ECO (240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Astroenergy | | CHSM 5612M (160,165,170,175,180,185,190, 195) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 32mm B : 32mm | |
| Astroenergy | | CHSM6610P 220,225,230,235,240,245,250 | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 994 x 45mm A : 32mm B : 32mm | |
| Astroenergy | | CHSM6610M 220,225,230,235,240,245,250,255,260 | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 994 x 45mm A : 32mm B : 32mm | |
| Astronergy | YES | STAR II - 285X-300W - 5BB monocrystalline PV module CHSM6610M (BL) Series | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 35mm A : 35mm B : 35mm | |
| Astronergy | YES | STAR II - 290W-305W - 5BB monocrystalline PV module CHSM6610M Series CHSM6610M/HV Series | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 35mm A : 35mm B : 35mm | |
| Astronergy | YES | STAR 270W-290W - 5BB monocrystalline PV module CHSM6610M (BL) Series | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 35mm A : 35mm B : 35mm | |
| Astronergy | YES | STAR 270W-290W - 5BB monocrystalline PV module CHSM6610M Series CHS6610P/HV Series | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 35mm A : 35mm B : 35mm | |
| Astronergy | YES | STAVE II - 275W-290W - 5BB polycrystalline PV module CHSM6610P Series CHSM6610P/HV Series | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 35mm A : 35mm B : 35mm | |
| Astronergy | YES | STAVE 255W-275W - 5BB polycrystalline PV module CHS6610P Series CHSM6610P/HV Series | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 35mm A : 35mm B : 35mm | |
| Astronergy | | STAR II - 345W-360W - 5BB monocrystalline PV module CHSM6612M (BL) Series | NO | NO | NO | NO | 1954 x 990 x 40mm A : 32mm B : 32mm | |
| Astronergy | | STAR II - 350W 365W - 5BB monocrystalline PV module CHS6612M Series CHSM6612M/HV Series | NO | NO | NO | NO | 1954 x 990 x 40mm A : 32mm B : 32mm | |
| Astronergy | | STAR 325W-345W monocrystalline PV module CHS6612M Series CHSM6612/HV Series | NO | NO | NO | NO | 1954 x 990 x 40mm A : 32mm B : 32mm | |
| Astronergy | | STAVE II - 330W-345W - 5BB polycrystalline PV module CHSM6612P Series CHSM6612P/HV Series | NO | NO | NO | NO | 1954 x 990 x 40mm A : 32mm B : 32mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|------------------|-----|--|--------------------------------|--------------------------------|---------------------|--------------|---|-------------|
| Astronergy | | STAVE 310W-330W - 5BB polycrystalline PV module CHSM6612P Series CHSM6612P/HV Series | NO | NO | NO | NO | 1954 x 990 x 40mm A : 32mm B : 32mm | |
| Astronergy Penta | | Penta Monokristalline Solarmodule ASM6610M serie | Large Clamps | Large Clamps | NO | Model 1 | 1654 x 989 x 40mm A : 13,9mm B : 13,9mm | |
| A-Sunergy | | ASUN190-MB | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| A-Sunergy | | ASUN245-P | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 32mm B : 32mm | |
| Atersa | | A-214P et A-2220 | NO | NO | NO | NO | 1645 x 990 x 50mm A : 46mm B : 46mm | |
| Atersa | | A-214P et A-222P, A-230P | Large Clamps | Large Clamps | NO | NO | 1645 x 990 x 50mm A : 38mm B : 38mm | |
| Auo | | SunForte PM096B00 (320/325/327/330/333) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Auo | | SunPrimo PM060PW0 / PM060PB0 (250/255/260/265) polycrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Auo | | SunVivo PM060MW2 / PM060MB2 (275/280/285) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Auo | | SunVivo PM060MW2 / PM060MB2 (290/295/300/305/310) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Auo | | SunVivo PM060MW0 / PM060MB0 (270/275/280) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Aurasol | | Auramate-60f (245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 1000 x 42mm A : 37mm B : 37mm | |
| Auversun | | AV250M | Normal Clamps | Normal Clamps | NO | NO | 1651 x 994 x 50mm A : 29,5mm B : 29,5mm | |
| Auversun | | AV230M | NO | NO | NO | NO | 1492 x 994 x 50mm A : 30mm B : 30mm | |
| Auversun | | AV240P60NB | Normal Clamps | Normal Clamps | NO | NO | 1652 x 996 x 50mm A : 29,5mm B : 29,5mm | |
| Auversun | | AV250C60NN | Normal Clamps | Normal Clamps | NO | NO | 1652 x 996 x 50mm A : 29,5mm B : 29,5mm | |
| Auversun | | AV250M60NN | Normal Clamps | Normal Clamps | NO | NO | 1652 x 996 x 50mm A : 29,5mm B : 29,5mm | |
| Auversun | | AV265M60NB | Normal Clamps | Normal Clamps | NO | NO | 1652 x 996 x 50mm A : 29,5mm B : 29,5mm | |
| Avim | YES | a_18 plus 235/240/245w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Axitec | YES | AC-245M 240 245 250/156-60S 3BB | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 997 x 38mm A : 27mm B : 27mm | |
| Axitec | YES | AC-XXXM/156-60S (250/255/260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 27mm B : 27mm | |
| Axitec | YES | AC-XXXP/156-60S (240/245/250/255) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 27mm B : 27mm | |
| Axitec | YES | AC-224P 230-236-242P/156-60S | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 997 x 38mm A : 27mm B : 27mm | |
| Axitec | YES | AXIpremium AC-xxxM/156-60S (250/255/260/265) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 27mm B : 27mm | |
| Axitec | | AxiPower 60 cell / polycrystalline photovoltaic modules High performance - AC-260P-265P-270P/156-60S | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 27mm B : 27mm | |
| Axitec | | AxiPremium 60 cell/monocrystalline photovoltaique modules High performance - AC-270M-275M-280M-285M-290M/156-60S | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 27mm B : 27mm | |
| Axitec | YES | AXI worldblackpremium AC-XXXM/156-60S (260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Azur Solar | | Azur M 185-3 | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Azur Solar | | Azur P 195U-3 | NO | NO | NO | NO | 1324 x 992 x 45mm A : 35mm B : 35mm | |
| Azur Solar | | Azur M245-3 | NO | NO | NO | NO | 1590 x 1069 x 45mm A : 35mm B : 35mm | |
| Azur Solar | YES | Azur P230-3 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1655 x 992 x 45mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-----------------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|--|-------------|
| Azur Solar | YES | Azur M250-3 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1655 x 992 x 45mm A : 35mm B : 35mm | |
| BenQ | YES | Green Triplex PM245P00 (220/225/230/235/235/240/245/250) polycrystallins | Large Clamps | Large Clamps | NO | NO | 1639 x 983 x 40mm A : 32mm B : 32mm | |
| BenQ | YES | Green Triplex PM250M00 (250/255/260/265/270) monocrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1651 x 992 x 40mm A : 32mm B : 32mm | |
| BenQ | YES | Green Triplex PM250M01 (250/255/260/265/270/275) monocrystallins | Large Clamps | Large Clamps | NO | NO | 1639 x 983 x 40mm A : 32mm B : 32mm | |
| BenQ | YES | Green Triplex PM060M02 (270/275/280) monocrystallins | Large Clamps | Large Clamps | NO | NO | 1639 x 983 x 40mm A : 32mm B : 32mm | |
| BenQ | | SunForte PM318B00 (315/318/320/325/327) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| BenQ | | SunForte PM318B01 (315/318/320/325/327) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| BenQ | YES | Green Triplex PM060P00 (245/250/255/260/265) polycrystallins | Large Clamps | Large Clamps | NO | NO | 1639 x 983 x 40mm A : 32mm B : 32mm | |
| BenQ | | SunForte PM096B00 (320/325/327/330/333) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| BenQ | YES | SunPrimo PM060PW0 / PM060PB0 (250/255/260/265) polycrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| BenQ | | SunVivo PM060MW2 / PM060MB2 (275/280/285) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| BenQ | | SunVivo PM060MW2 / PM060MB2 (290/295/300/305/310) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| BenQ | | SunVivo PM060MW0 / PM060MB0 (270/275/280) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Bioenergy Solar | | Bio 175-185 | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Bisol | | Gamme Bisol Premium - Modules PV monocrystallins - BMO-280-300 WC | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 27mm B : 27mm | |
| Bisol | | Gamme Bisol Premium - Modules PV polycrystallins - BMU 255-275Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 27mm B : 27mm | |
| Bisol | | Gamme Bisol Project - Modules PV monocrystallins - BMO 280-300 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 27mm B : 27mm | |
| Bisol | | Gamme Bisol Project - Modules PV polycrystallins - BMU 255-275 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 27mm B : 27mm | |
| Bisol | | Gamme Bisol Spectrum - Modules PV polycrystallins colorés / 245-250 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 27mm B : 27mm | |
| Bisol | | Gamme Bisol Lumina - Modules PV Monocrystallins - Haute transparence - BSO | NO | NO | NO | NO | 1692 x 1016 x 29mm A : mm B : mm | |
| Bisol | | Gamme Bisol Lumina - Modules PV Polycrystallins - Haute transparence - BSU | NO | NO | NO | NO | 1692 x 1016 x 29mm A : mm B : mm | |
| Bisol | | Gamme Bisol Lumina Project - Modules PV Monocrystallins - Haute transparence - BSO | NO | NO | NO | NO | 1692 x 1016 x 29mm A : mm B : mm | |
| Bisol | | Gamme Bisol Lumina Project - Modules PV Polycrystallins - Haute transparence - BSU | NO | NO | NO | NO | 1692 x 1016 x 29mm A : mm B : mm | |
| Bisol | YES | BMO 239-245-250 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | PEAK PERFORMANCE : BMU 240-245-250 wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | BMU 214-224-227-233-239-245 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | PEAK PERFORMANCE : BMO 250-255-260 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | PEAK PERFORMANCE : BMU 245-250-255 | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | BMO : 239-245-250-260-269-270 | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | | Gamme Bisol Project - BMU 270 Wc - Polycrystallins | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | SPECTRUM : BMU 225-230-235 | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|-------------------|-----|--|---------------------------------|---------------------------------|------------------------|--------------|--|--------------|
| Bisol | YES | PREMIUM : BMU 235-240-245-250-255 | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | PREMIUM : BMO 245-250-255-260-265 | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bisol | YES | BMO : 245-250-257 | Large Clamps | Large Clamps | NO | Model 1 | 1649 x 991 x 40mm A : 11,5mm B : 27mm | |
| Bosch | | c-SI M 48 et M 48 S 180 à 200w | NO | NO | NO | NO | 1342 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI M 60 (EU30117) - 225,230,235,240,245,250,255,260w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c-SI M 60 S (EU30117) - 225,230,235,240,245,250,255,260w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI M 60 (EU43117) - 225,230,235,240,245,250,255,260w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c-SI M 60 S (EU43117) - 225,230,235,240,245,250,255,260w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI P 60 (EU30123) - 230,235,240w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI M 60 (EU42117 / EU42123) - 245,250,255,260w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI M 60 (EU44117 / EU44123) - 255,260,265,270w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI M 60 S (EU42117 / EU42123)-245,250,255,260w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c SI M 60 S (EU44117 / EU44123)-255,260,265,270w | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Bosch | | c-SI M60 + S (EU56117) - 275,280,285 avec barre de renfort | Large Clamps | NO | NO | Model 1 | 1674 x 990 x 46mm A : 22mm B : 25mm | renfort |
| Bosch | | c-SI M60 + S (EU56117) - 275,280,286 sans barre de renfort | NO | Large Clamps | NO | Model 1 | 1674 x 990 x 46mm A : 18mm B : 25mm | |
| BP solar | | BP 4180T | NO | NO | NO | NO | 1587 x 790 x 50mm A : 21,5mm B : 30,2mm | |
| BP solar | | Séries BP 4 165,170,175,180,185 | NO | NO | NO | NO | 1587 x 790 x 50mm A : mm B : mm | |
| BP solar | | BP 3170 (170W) | NO | NO | NO | NO | 1593 x 790 x 50mm A : 27mm B : 27mm | |
| Build your Dreams | | BYD P6-30 Serie-3BB 220 à 250w | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| Canadian Solar | | CS5A-M 180/185/190/195/200/205 | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | | CS6A-160P 165 170 175 180 185 | NO | NO | NO | NO | 1324 x 982 x 40mm A : 25mm B : 25mm | |
| Canadian Solar | | CS5A 170/175/180/185/190M | NO | NO | NO | NO | 1595 x 801 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | | CS6P-xxxP et CS6P-xxxM (220/225/230/235/240/245/250) | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | | ELPS CS6P-255/260/265MM | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | | ELPS CS6P-240/245/250/255PM | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | | All Black CS6K (270/275/280) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | YES | CS6K F1 - 260/265/270/275P | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | YES | CS6K F9 - 260/265/270/275P | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 30mm B : 30mm | |
| Canadian Solar | YES | CS6K - 275/280/285M | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | YES | Superpower CS6K - 290/295/300MS | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | YES | All black CS6K-270/275/280M | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|----------------|-----|---|--------------------------------|--------------------------------|------------------------|--------------|--|-------------|
| Canadian Solar | YES | All Black CS6K - 285/290/295MS | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Canadian Solar | YES | Ku Power poly F9 - CS3K-275/280/285P | Normal Clamps Large Clamps | NO | NO | Model 1 | 1650 x 992 x 40mm A : 30mm B : 30mm | |
| Caymax | | Caymax XXX-60M (250/255/260/265/270) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Caymax | | Caymax XXX-60P (230/235/240/245/250) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| CEEG | | SSST 185-72M | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| CEEG | | CSUN195-72M | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| CEEG | | CSUN200-48M | NO | NO | NO | NO | 1320 x 990 x 50mm A : 35mm B : 35mm | |
| CEEG | | CSUN245-60M (240,245,250,255,260) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| CEEG | | CSUN250-60P (230/235/240/245/250) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Centrosolar | YES | S220M60 (230,235,240,245) monocristallins | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Centrosolar | | S190M50 | NO | NO | NO | NO | 1639 x 839 x 40mm A : 25,4mm B : mm | |
| Centrosolar | | S-class excellent S200P54 (205/210) | NO | NO | NO | NO | 1503 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Centrosolar | YES | S-class Professional S220P60 (225,230,235,240,245,250,255) polycristallins | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Centrosolar | YES | S-class Vision 60 Black - Polycristallin - SXXXP60 Vision Black (240/245/250/255) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Centrosolar | YES | S-Class Vision 60 Balance - Polycristallin - SXXXP60 Vision balance (240/250) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Centrosolar | YES | S-Class Vision 60 smart - Polycristallin - SXXXP60 Vision smart (240/245/250/255/260) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| CERTUS | | SILVER LINE MONOCRISTALLINE - AVNXXXEM (250/255/260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 28mm B : 28mm | |
| CETC | | NES72-5-1xxM (180 à 195W) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| CETC | | NES60-6-2xxP (230 à 240W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Chauri | | CRM175S125M-72 170=> 195 | NO | NO | NO | NO | 1580 x 808 x 46mm A : mm B : mm | |
| Chauri | | CRM240S156P-60 210=>240 | NO | NO | NO | NO | 1630 x 994 x 46mm A : mm B : mm | |
| Chinaland | | CHN 96M (230/240/250/260/270/275) | NO | NO | NO | NO | 1580 x 1062 x 50mm A : 35mm B : 35mm | |
| Chinaland | | CHN 60M (235/240/245/250/255/260/265) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| Clipsol | | VO POLY PV240_260 Blanc | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 42mm A : 21mm B : 21mm | |
| CNPV | | CNPV-190MB-205MB-Black Beauties | NO | NO | NO | NO | 1581 x 809 x 40mm A : 40mm B : 40mm | |
| CNPV | | CNPV-235PB-250PB-Black Beauties | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 40mm B : 40mm | |
| CNPV | | CNPV-245MB-260MB-Black Beauties | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 40mm B : 40mm | |
| CNPV | | CNPV-190M-205M | NO | NO | NO | NO | 1581 x 809 x 40mm A : 40mm B : 40mm | |
| CNPV | | CNPV-235P-250P | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 38mm B : 38mm | |
| CNPV | | CNPV-245M-260M | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 40mm B : 40mm | |
| CNPV | | CNPV-210M (160 à 210) | NO | NO | NO | NO | 1581 x 809 x 40mm A : 40mm B : 40mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------|-----|--|---------------------------------|---------------------------------|------------------------|--------------|--|--------------|
| CNPV | | CNPV-255M (200 à 255) ancienne gamme (46mm) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 46mm A : 38mm B : 38mm | |
| CNPV | | CNPV-240MB (240/245/250) ancienne gamme (46mm) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 46mm A : 38mm B : 38mm | |
| CNPV | | CNPV-245P (190-245) ancienne gamme (46mm) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 46mm A : 38mm B : 38mm | |
| CNPV | | CNPV - 260MB/255MB/250MB | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Conergy | | P170-190M | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Conergy | | PH175M-185M | NO | NO | NO | NO | 1580 x 808 x 45mm A : 31,5mm B : 31,5mm | |
| Conergy | | PHXXM (180/185/190/195/200) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Conergy | YES | PH220P-240P | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 994 x 45mm A : 31,5mm B : 31,5mm | |
| Conergy | YES | PHXXXP (230/235/240/245/250/255) | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 994 x 40mm A : 32mm B : 32mm | |
| Conergy | YES | PM220P-240P | Normal Clamps | Normal Clamps | NO | Model 1 | 1668 x 1000 x 40mm A : 35mm B : 35mm | |
| Conergy | YES | PMXXXP (230/235/240/245/250/255) | Large Clamps | Large Clamps | NO | NO | 1639 x 983 x 40mm A : 32mm B : 32mm | |
| Conergy | YES | P210-230PA | Normal Clamps | Normal Clamps | NO | NO | 1652 x 1000 x 50mm A : 39mm B : 39mm | |
| Conergy | YES | PA XXXP (230/235/240/245/250/255) | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 1000 x 45mm A : 40mm B : 40mm | |
| Conergy | | 185MC | NO | NO | NO | NO | 1335 x 986 x 46mm A : 41,5mm B : 41,5mm | |
| Conergy | YES | 210-230P eco pro | Large Clamps | Large Clamps | NO | Model 1 | 1651 x 986 x 46mm A : 30mm B : 30mm | |
| Conergy | YES | EcoPro XXXP (230/235/240/245/250/255) | Large Clamps | Large Clamps | NO | Model 1 | 1651 x 986 x 46mm A : 30mm B : 30mm | |
| Conergy | | PowerPlus 170MC-185MC | NO | NO | NO | NO | 1335 x 986 x 46mm A : 41,5mm B : 41,5mm | |
| Conergy | | Power plus 215-235M et 214-240P | NO | NO | NO | Model 1 | 1651 x 986 x 46mm A : 41,5mm B : 41,5mm | |
| Conergy | YES | PowerPlus XXXM (245/250/255/260/265) | Large Clamps | Large Clamps | NO | Model 1 | 1651 x 986 x 46mm A : 30mm B : 30mm | |
| Conergy | YES | PowerPlus XXXP (230/235/240/245/250/255) | Large Clamps | Large Clamps | NO | Model 1 | 1651 x 986 x 46mm A : 30mm B : 30mm | |
| Conergy | YES | PX XXXP (230/235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Conergy | | PJXXXP - (245/250/255) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| Conergy | | PXXXM (175/180/185/190/195/200) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| CP Solar | | CPS 185M Black frame | NO | NO | NO | NO | 1580 x 808 x 40mm A : 30mm B : 30mm | |
| CP Solar | | CPSxxxM36-125 (185/190/195) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 30mm B : 30mm | |
| CP Solar | | CPSxxxM30-156 (240/245) | Normal Clamps | Normal Clamps | NO | NO | 1652 x 1000 x 50mm A : 35mm B : 35mm | |
| CSG | | CSGS1-35/36 170-190W | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| CSUN | | CSUN195-48P (175/180/185/190/195) | NO | NO | NO | NO | 1320 x 990 x 35mm A : 35mm B : 35mm | |
| CSUN | | CSUN200-48M5185/190/195/200/205) | NO | NO | NO | NO | 1320 x 990 x 35mm A : 35mm B : 35mm | |
| CSUN | | CSUN205-72M (185/190/195/200/205) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| CSUN | | CSUN215-54P (195/200/205/210/215) | NO | NO | NO | NO | 1480 x 990 x 40mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-------------|-----|--|--|---------------------------------|------------------------|--------------|--|-------------|
| CSUN | | CSUN225-54M (210/215/220/225/230) | NO | NO | NO | NO | 1480 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN245-60P (230/235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN250-60M (240/245/250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN250-60M (240/245/250/255/260) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN250-60P (230/235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN255-60M (260/265/270) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN260-60P (240/245/250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | YES | CSUN270-60M (255/260/265/270) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| CSUN | | CSUN300-72M (285/290/295/300) | NO | NO | NO | NO | 1956 x 990 x 50mm A : 35mm B : 35mm | |
| CSUN | | CSUN315-72M (305/310/315/320) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| CSUN | | CSUN395-72P (275/280/285/290/295) | NO | NO | NO | NO | 1956 x 990 x 50mm A : 35mm B : 35mm | |
| Daqo Solar | | DQ190MFAa (165/170/175/180/185/190) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Daqo Solar | | DQ240PSCa (200/205/210/220/225/230/235/240) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Data TSP | | PV-210W | Normal Clamps | Normal Clamps | NO | Model 1 | 1661 x 997 x 42mm A : 38mm B : 38mm | |
| Day4 Energy | | 245 60MC-I (225 à 250) | NO | NO | NO | NO | 1650 x 1013 x 40,4mm A : mm B : mm | |
| Del Solar | | D6P_A3A-WT 220W - 240 W | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 42mm A : 35mm B : 35mm | |
| Del Solar | | D6P_B3A-WS (230,235,240,245, 250) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 42mm A : 35mm B : 35mm | |
| Del Solar | | D6M_B3A-BK 230-250W | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 35mm B : 35mm | |
| DENIM | | SC S_PXXX-BB-60 (255/260/265) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 35mm B : 35mm | |
| DENIM | | SC R_MXXX-BB-60 (270/275/280) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| DENIM | | SC R_PXXX-60 (260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| DENIM | | SC R/M285-300 BTG-60 | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1681 x 991 x 35mm A : 25mm B : 25mm | |
| DMEGC | | DMXXX-P156-60 Series (225/230/235/240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| DMEGC | | DMXXX-M156-60 Black Series (220/230/235/240/245/250/255) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Dualsun | | DS 250M | Large Clamps | NO | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Eastech | | Esf-175MA (185 et 190) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 45mm B : 45mm | |
| Eco Future | | PREMIUM SERIES - ECO MODULE MONOCRISTALLINE-ECO-XXXC60 (250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Eco Future | | PREMIUM SERIES - ECO MODULE POLYCRISTALLINE -ECO-XXXC60 (240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Ecomotiv | | ECO-M250 5' | NO | NO | NO | NO | 1600 x 1056 x 40mm A : 35mm B : 35mm | |
| Ecomotiv | | ECOMOTIV-JETION M250 | NO | NO | NO | NO | 1580 x 1050 x 40mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------------|-----|--|---------------------------------|---------------------------------|---------------------|--------------|---|--------------|
| Ecosol | | ECSxxxM-96 (235/240/245/250/255/260/265) | NO | NO | NO | NO | x x mm A : mm B : mm | |
| Ecosol | | ECSXXXP-60 (235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| ECS | | ECS-180/185/190/195/200/205 M | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| ECS | | ECS-220/230/240/250 Mono | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Eging PV | YES | EG-(Series) M60-C 235/240/245/250 (anciens cadres) | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 35mm B : 35mm | |
| Eging PV | YES | EG-(Series) M60-C AR COATED GLASS 245/250/255/260/265 (nouveaux cadres 2013) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 35mm B : 35mm | |
| Eging PV | | EG-(Series) M60-C AR COATED GLASS 270/275/280/285 (nouveaux cadres 2014) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 35mm A : 28mm B : 28mm | |
| Eging PV | YES | EG-(Series) P60-C 235/240/245 (anciens cadres) | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 35mm B : 35mm | |
| Eging PV | YES | EG-(Series) P60-C AR COATED GLASS 240/245/250/255/260 (nouveaux cadres 2013) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 35mm B : 35mm | |
| Eging PV | | EGM Series 185/190/195/200 (anciens cadres) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Eging PV | | EGM Series AR COATED GLASS 190/195/200 (nouveaux cadres 2013) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Elifrance | | Cellules polycristallines SERIES EL60 - EL60231/EL60236/EL60240/EL60245/EL60250 | Normal Clamps | Normal Clamps | NO | NO | 1655 x 999 x 50mm A : 37mm B : 37mm | |
| Elifrance | | Cellules polycristallines SERIES EL60 - EL60231/EL60236/EL60240/EL60245/EL60250 | Normal Clamps | Normal Clamps | NO | Model 1 | 1655 x 999 x 35mm A : 35mm B : 35mm | |
| Elifrance | | Cellules polycristallines SERIES EL72 - EL72277/EL72284/EL72288/EL72294/EL72300 | NO | NO | NO | NO | 1973 x 999 x 50mm A : 37mm B : 37mm | |
| Elsingor | | ELS 245-250 FB-F | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 40mm A : 35mm B : 35mm | |
| Elyor | | EXXXP60 (250/270) | Large Clamps | Large Clamps | NO | Model 1 | 1641 x 989 x 35mm A : 25,5mm B : 25,5mm | |
| Elyor | | EXXXP60 (300) | Large Clamps | Large Clamps | NO | Model 1 | 1641 x 989 x 46mm A : 25,5mm B : 25,5mm | |
| Elyor | | 255W66C POLY E.B.A | Large Clamps | Large Clamps | NO | Model 1 | 1641 x 990 x 38mm A : 25,5mm B : 25,5mm | |
| Elyor | | 260W60C POLY E.B.A | Large Clamps | Large Clamps | NO | Model 1 | 1641 x 990 x 38mm A : 25,5mm B : 25,5mm | |
| Elyor | | 300W66C POLY E.B.A | NO | NO | NO | NO | 1801 x 990 x 38mm A : 25,5mm B : 25,5mm | |
| Elyor | | 300W60C POLY E.B.A | Large Clamps | Large Clamps | NO | Model 1 | 1641 x 990 x 38mm A : 25,5mm B : 25,5mm | |
| Emmvee | | ES-230M60B | NO | NO | NO | NO | 1691 x 1002 x 50mm A : mm B : mm | |
| Energie Mobile | | MODULE A200 | NO | NO | NO | NO | 1580 x 808 x 50mm A : 35mm B : 35mm | |
| Energie Mobile | | MODULE A200 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Enfinity | | 185M5 et 190M5 et 190MSBLK | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Enfinity | | 190MSBLK | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Enfinity | | 235P6 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1655 x 992 x 45mm A : 35mm B : 35mm | |
| Enfinity | | 240M6 245M6 et 250M6 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1650 x 992 x 50mm A : 35mm B : 35mm | |
| Ensol | | Ensol XXX (160/165/170/175/180) | NO | NO | NO | NO | 1608 x 804 x 35mm A : 28mm B : 28mm | |
| Eopply | | Eply185M | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Eopply | | EOPPLY 156P/60 (210-235) Polycrystalline | Normal Clamps | Normal Clamps | NO | NO | 1644 x 994 x 50mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|---------------|-----|--|--------------------------------|--------------------------------|------------------------|--------------|--|-------------|
| ET Solar | | ET-M572xxxBB (180-185-190-195-200W) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| ET Solar | | ET-M572xxxTW (180-185-190-195-200W) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| ET Solar | | ET-M572xxx (180-185-190-195-200-205W) | NO | NO | NO | NO | 1580 x 808 x 50mm A : 35mm B : 35mm | |
| ET Solar | | ET-M572xxx (185-190-195-200-205) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| ET Solar | YES | ET-P660xxx (255/250/245/240/235/230/225) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| ET Solar | YES | ET-P660xxxBB (240/235/230/225) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| ET Solar | YES | ET-M660xxxWW (260/255/250/245/240/235) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| ET Solar | YES | ET-M660xxx (260/255/250/245/240/235) et ET-M660xxxBB (250/245/240/235) et ET-M660xxxTW (250/245/240/235) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Eurener | YES | MEPV - Monocristalin standard et all Black (214/220/225/230/235/240/245/250) Perfect 25 | Normal Clamps | Normal Clamps | NO | Model 1 | 1676 x 998 x 41mm A : 27,8mm B : 27,8mm | |
| Eurener | YES | PEPV - Polycristalin standard et all Black (214/220/225/230/235/240/245/250) Perfect 25 | Normal Clamps | Normal Clamps | NO | Model 1 | 1676 x 998 x 41mm A : 27,8mm B : 27,8mm | |
| Eurener | | TURBO300/310/315 (cadre 1640) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Eurener | | TURBO300/310/315 (cadre 1650) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Eurener | YES | PEPV - Polycristalin (231/236/240/245/250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1655 x 999 x 35mm A : 35mm B : 35mm | |
| Eurener | | PEPV - Polycrystalline Standard - All Black 250/255/260/265/270 W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Eurener | | PEPV - Polycrystalline Standard - All Black 250/255/260/265/270 W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Eurener | | MEPV - Monocristalline Standad - All Black 260/265/270/280/290 W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Eurener | | MEPV - Monocristalline Standad - All Black 260/265/270/280/290 W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Evergreen | | ES-A 200 205 210 215 wc | NO | NO | NO | NO | 1650,5 x 951,3 x 46mm A : 40,6mm B : 40,6mm | |
| EXE Solar | | X-Line 60 Monocristalin - EXM XXX/156-60 (280/290/300) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1630 x 992 x 40mm A : 25mm B : 25mm | |
| Exiom | | EX-170-190 (170-175-180-185-190) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Exiom | | EX-230-250M (156) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1655 x 992 x 45mm A : 35mm B : 35mm | |
| Fire Energy | | FE5A-185M | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Fire Energy | | FE-185M (170/175/180/185/190/195/200) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Fire Energy | | FE-240P Series-230/235/240/245/250 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Fluitechnik | | FTS-240M (230-235-240-245-250) | NO | NO | NO | Model 1 | 1653 x 990 x 44mm A : 40mm B : 40mm | |
| Fluitechnik | | FTS-220P (210 à 240w) | NO | NO | NO | Model 1 | 1653 x 990 x 44mm A : 40mm B : 40mm | |
| Fonroche | | | NO | NO | NO | NO | 1593 x 803 x 46mm A : mm B : mm | |
| Fonroche | | FP-VAP-60-220 220/225/230/235/240 | Large Clamps | Large Clamps | NO | Model 1 | 1641 x 989 x 46mm A : 25,5mm B : 25,5mm | |
| Fortune Solar | | WF220P-02B (200-240w) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1650 x 992 x 50mm A : 35mm B : 35mm | |
| FT Solaire | | 170- 72 /6X12 | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Futurasun | | FU XXXM (250/255/260/265) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 28mm B : 28mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|------------------------|-----|--|---------------------------------|---------------------------------|------------------------|--------------|--|-------------|
| Futurasun | | FU-XXXP (235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 35mm B : 35mm | |
| Futurasun | | FU-XXXP (240/245/250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 35mm B : 35mm | |
| FVG Energy | | FVGxxxM-MC (185/190/195/200) 72-125 | NO | NO | NO | NO | 1580 x 809 x 35mm A : 35mm B : 35mm | |
| FVG Energy | | FVGxxxP-MC (225/230/235/240) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 35mm A : 35mm B : 35mm | |
| FVG Energy | | FVGxxxM-MC (235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 35mm A : 35mm B : 35mm | |
| GE Solar | | GES-M180 (M160 M165 M170 M175) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| GE Solar | | GES-5M190 (180 à 200) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| GE Solar | | GES-6P280 (270 à 290) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| GE Solar | | GES-6P235 (225 à 245) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 35mm B : 35mm | |
| GE Solar | | GES-6P210 (200 à 220) | NO | NO | NO | NO | 1482 x 992 x 42mm A : 35mm B : 35mm | |
| GE Solar | | GES-6P185 (175 à 195) | NO | NO | NO | NO | 1320 x 992 x 35mm A : 35mm B : 35mm | |
| GE Solar | | GES-6M245 (235 à 255) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 35mm B : 35mm | |
| GE Solar | | GES-6M220 (210 à 230) | NO | NO | NO | NO | 1482 x 992 x 42mm A : 35mm B : 35mm | |
| GH Solar | | GH185M125 | NO | NO | NO | NO | 1602 x 812 x 35mm A : 35mm B : 23mm | |
| GHT Energy | | GHTE 250 | NO | NO | NO | NO | 1637 x 992 x 48mm A : mm B : mm | |
| GHT Energy | | GHT-XXX (185/190/195) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Gintech | | GTE XXXMB6A | NO | NO | NO | Model 1 | 1646 x 991 x 40mm A : 42mm B : 42mm | |
| Gintech | | GTEXXM63 (240/245/250/255/260/265/270) | Normal Clamps | Normal Clamps | NO | NO | 1632 x 995 x 40mm A : 35mm B : 35mm | |
| Green Power Technology | | GTPT-PC230 | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| Hanwha Solar One | | SF190Poly 195 à 220W | NO | NO | NO | NO | 1494 x 1000 x 35mm A : 35mm B : 35mm | |
| Hanwha Solar One | | SF190Poly x-tra 195 à 220W | NO | NO | NO | NO | 1494 x 1000 x 35mm A : 35mm B : 35mm | |
| Hanwha Solar One | | SF160 mono 170 à 195w | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Hanwha Solar One | | SF160 Mono x-tra (170 à 195w) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Hanwha Solar One | | SF160 Mono x-tra Black Diamond (170 à 195w) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Hanwha Solar One | | SF220Poly | NO | NO | NO | Model 1 | 1652 x 1000 x 45mm A : 45mm B : 45mm | |
| Hanwha Solar One | YES | SF220Poly x-tra 225 à 250w | Normal Clamps | Normal Clamps | NO | Model 1 | 1652 x 1000 x 45mm A : 40mm B : 40mm | |
| Hareonsolar | | HR-215P-18/Bp-HR-255P-18/Bp | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 45mm A : 35mm B : 35mm | |
| Hareonsolar | | 2BB HR-180-24/Aa-Hr-200-24/Aa Mono- Crystalline Silicon Module | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Heckert Solar | | HS-PXL (195/200/215/220) | NO | NO | NO | NO | 1480 x 990 x 38mm A : 30mm B : 30mm | |
| Heckert Solar | | NeMo 60M (270/275/280/285) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 991 x 38mm A : 20mm B : 20mm | |
| Heckert Solar | | NeMo 2.0 60P polykristallines PV modul | NO | NO | NO | NO | 1670 x 1006 x 38mm A : 20mm B : 20mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------------|-----|---|---------------------------------|---------------------------------|---------------------|--------------|---|--------------|
| Heckert Solar | | NeMo 2.0 60M monokristallines PV modul | NO | NO | NO | NO | 1670 x 1006 x 38mm A : 20mm B : 20mm | |
| Heliene | | HEE215M | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Helios | | H3A214-235P | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 38mm A : 26mm B : 26mm | |
| Hi Tech Solar | | 250P-60 Black Poly | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 35mm B : 35mm | |
| Hisunage | | P60PCS (240/245/250/255W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 25mm B : 25mm | |
| HJSOLAR | | HJMxxxM-32 (250/255/260) | NO | NO | NO | NO | 1580 x 1062 x 45mm A : 35mm B : 35mm | |
| Hosun | | JHXxxxM72 (180 à 200) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Hosun | | JHXxxxM96 (210 à 250) | NO | NO | NO | NO | 1580 x 1069 x 45mm A : 35mm B : 35mm | |
| Hosun | | JHXxxxP48 et S48 | NO | NO | NO | NO | 1324 x 992 x 45mm A : 35mm B : 35mm | |
| Hosun | | JHXxxxP54 et S54 | NO | NO | NO | NO | 1482 x 992 x 45mm A : 35mm B : 35mm | |
| Hosun | | JHXxxxS60 (235,240,245,250,255w) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 20mm B : 30mm | |
| Hosun | | JHXxxxP60 (230,235,240,245,250w) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 20mm B : 30mm | |
| Hosun | | JHXxxxP72 et S72 | NO | NO | NO | NO | 1956 x 992 x 45mm A : 35mm B : 35mm | |
| Huanghe | | HH185(36)M 170 à 200w | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Huanghe | | HH240(48)M 220 à 265w | NO | NO | NO | NO | 1580 x 1066 x 45mm A : 35mm B : 35mm | |
| Huanghe | | HH230(30)P 210 à 250w | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Huanghe | | HH 235(30)M 215 à 260w | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Hyundai | | MG SERIES Type Multi- cristaline HIS-MxxxMG (black) (230/235/240) et type Mono cristalline HIS-SxxxMG (black) (250/255/260) | Large Clamps | Large Clamps | NO | NO | 1645 x 983 x 35mm A : 30mm B : 30mm | |
| Hyundai | | SF Série | NO | NO | NO | NO | 1476 x 983 x 35mm A : 30mm B : 30mm | |
| Hyundai | | MG SERIES Type Multi- cristaline His-MxxxMG (225/230/235/240/245/250) | Large Clamps | Large Clamps | NO | NO | 1645 x 983 x 35mm A : 30mm B : 30mm | |
| Hyundai | | RG SERIES Type Multi- cristaline HIS-MxxxRG (250/255/260) et type Mono cristalline HIS-SxxxRG (260/265/270) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 998 x 35mm A : 30mm B : 30mm | |
| IBC | | Polysol 200VG (205, 210) | NO | NO | NO | NO | 1650 x 951 x 46mm A : 40mm B : 40mm | |
| Innotech Solar | YES | ITS EcoPlus - Poly (210/220/230/240/250) | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 43mm A : 28mm B : 28mm | |
| Innotech Solar | YES | ITS EcoPlus - Poly et mono (240/250/260) | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 35mm A : 27,5mm B : 27,5mm | |
| Innotech Solar | YES | ITS DesignPlus - Poly (240/250/260) | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 43mm A : 28mm B : 28mm | |
| Innotech Solar | YES | ITS DesignBlack - Poly (240/250/260) | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 43mm A : 28mm B : 28mm | |
| Innotech Solar | YES | ITS DesignBlack - Poly et Mono (240/250/260) | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 35mm A : 27,5mm B : 27,5mm | |
| Isofoton | | ISF 180/195/190/195 | NO | NO | NO | NO | 1350 x 994 x 45mm A : 28,5mm B : 28,5mm | |
| Isofoton | | ISF 214 | NO | NO | NO | NO | 1515 x 994 x 45mm A : 28,5mm B : 28,5mm | |
| Isofoton | YES | Isf 240/245/250/255 monocristallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1667 x 994 x 45mm A : 28,5mm B : 28,5mm | |
| Isofoton | YES | Isf 240/245/250 Black monocristallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1667 x 994 x 45mm A : 28,5mm B : 28,5mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|-------------|-----|--|------------------------|-------------------------|------------------------|--------------|--|-------------|
| Issol | | CENIT 200 serie mono black (210/215/220 Wc) | NO | NO | NO | NO | 1481 x 994 x 34mm A : 21mm B : 21mm | |
| Issol | | CENIT 220 serie mono black (240/245/220 Wc) | Large Clamps | Large Clamps | NO | NO | 1635 x 984 x 34mm A : 21mm B : 21mm | |
| Istar Solar | | IS 4000P (235/240/245/250/255) | NO | NO | NO | NO | 1645 x 985 x 42mm A : 36,6mm B : 36,6mm | |
| JA Solar | | JAM6(K)-60/265-285/4BB/1500V F35-35 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAM6(K)-60/265-285/4BB F35-35 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAM6(K)-60/280-300/PR F35-35 | NO | NO | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | renfort |
| JA Solar | | JAM6(K)-72/335-355/PR F40/35 | NO | NO | NO | NO | 1960 x 991 x 40mm A : 35mm B : 35mm | renfort |
| JA Solar | | JAM6(K)(BK)-60/265-285/4BB F35-35 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAM6(K)(BK)-60/280-300/PR F35-35 | NO | NO | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | renfort |
| JA Solar | | JAM6(K)(BK)(SE)-60/280-300/PR | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | | JAM6(K)(BK)(TG)-60/280-300/PR F35-35 | NO | NO | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | renfort |
| JA Solar | | JAM6(K)(SE)-60/265-285/4BB | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 40mm | |
| JA Solar | | JAM6(K)(SE)-72/320-340/4BB | NO | NO | NO | NO | 1956 x 991 x 45mm A : 35mm B : 45mm | |
| JA Solar | | JAP6(K)(TG)-60/255-275/4BB F35-35 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAP6(K)-60/255-275/4BB/1500V F35-35 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAP6(K)-60/255-275/4BB F35-35 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAP6(K)-72/305-325/4BB/1500V F40-35 | NO | NO | NO | NO | 1960 x 991 x 40mm A : 35mm B : 40mm | |
| JA Solar | | JAP6(K)-72/305-325/4BB F40-35 | NO | NO | NO | NO | 1960 x 991 x 40mm A : 35mm B : 40mm | |
| JA Solar | | JAM6 60/200-250 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6-60-xxx/SI (245/250/255/260/265) (BK) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6-60-xxx/PR (275/280/285/290/295) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6(R)(BK)60-xxx (260/265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAP6 60/225-250 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM (L)60 -XXX/PR (275/280/285/290/295) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6(K)-60-XXX/PR (280/285/290/295) | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | YES | JAM6(K)-60-XXX/4BB (265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAM6(K)(TG)-60-XXX/4BB (265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6(K)(TG)-60-XXX/PR (280/285/290/295/300) | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | YES | JAM6(K)(SE)-60-XXX/4BB (265/270/275/280/285) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6(K)(SE)-60-XXX/PR (280/285/290/295/300) | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | YES | JAM6(K)(BK)-60-XXX/4BB (265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------|-----|--|---------------------------------|---------------------------------|---------------------|--------------|---|--------------|
| JA Solar | | JAM6(K)(BK)-60-XXX/PR (280/285/290/295) | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | YES | JAM6(K)(BK)(TG)-60-XXX/4BB (265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAM6(K)(BK)(SE)-60-XXX/4BB (265/270/275/280/285) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6-60-XXX/4BB/RE (260/265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6-60-XXX/4BB (255/260/265/270/275) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6(TG)-60-XXX/4BB (255/260/265/270/275) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6(SE)-60-XXX/4BB (255/260/265/270/275) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6(SE)-60-XXX/4BB/RE (260/265/270/275) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6-60-XXX/4BB/1500V (255/260/265/270/275) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | mono 240w | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| JA Solar | | JCSMB265M-60 (245W-265W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| JA Solar | YES | JAP6(TG)-60 XXX/4BB/RE (260/265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | YES | JAP6-60 XXX/4BB/RE/1500V (260/265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| JA Solar | | JAM6(K)(BK)(SE)-60/XXX/PR (280/285/290/295/300) | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | | JAM6(K)(BK)(TG)-60/XXX/PR (280/285/290/295/300) | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | | JAM6(K) - Percium mono - 60/280-300/PR F35-35 | NO | NO | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | renfort |
| JA Solar | | JAM6(K)(BK) - Percium mono - 60/280-300 F35-35 | NO | NO | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | renfort |
| JA Solar | | JAM6(K)(TG)-60/280-300/PR | NO | NO | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | renfort |
| JA Solar | YES | JAM60S01-285-305wp/PR - mono Perc | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM6(K)-60-285-305wp/PR - mono Perc | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S01-270-290wp/SC - mono standard | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM6(K)-60-270-290wp/4BB - mono standard | Large Clamps | Brides Larges | NON | Modèle 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S02-285-305wp/PR - all black | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM6(K)(BK)-60-285-305wp/PR - all black | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S02-270-290wp/SC - all black | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM6(K)(BK)-60-270-290wp/4BB - all black | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S04-280-300wp/PR - Tigo | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S06-280-300wp/PR - Tigo | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S05-280-300wp/PR - Solar Edge | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S07-280w-300wp/PR - Solar Edge | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAM60S03-295-315/PR - Half cell mono Perc | Large Clamps | Large Clamps | NO | Model 2 | 1678 x 991 x 35mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|------------|-----|---|---------------------------------|---------------------------------|---------------------|--------------|--|--------------|
| JA Solar | YES | JAP6(K)-60-255w-275wp/4BB - Poly standard | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | YES | JAP60S01-260-280wp/SC - Poly standard | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| JA Solar | | JAM60S01 - 285-305PR - 1000V Precium Series | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 35mm A : 35mm B : 35mm | |
| Jetion | | JT250SCc Series (230/235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1665 x 992 x 40mm A : 35mm B : 35mm | |
| Jetion | | JT155 S (160,165,170,175,180,185) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Jetion | | JT190 Pee | NO | NO | NO | NO | 1324 x 992 x 40mm A : 35mm B : 35mm | |
| Jiawei | | JWE185-ZXM (185-190-195) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Jiawei | | JW-G2250 / 2300 / 2350 / 2400 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 46mm A : 35mm B : 35mm | |
| Jiawei | | JW-G2450 / 2500 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 46mm A : 35mm B : 35mm | |
| Jinko | YES | Eagle PERC 60B 270-290 Watt - Monocrystalline Module | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Jinko | YES | Eagle PERC 280-300 Watt - Monocrystalline Module | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Jinko | YES | Eagle 60 - 260-280 Watt - Polycrystalline Module | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Jinko | YES | Eagle MX 60 - 280-300 Watt - Monocrystalline Module | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Jinko | YES | Eagle MX 60B - 270-290 Watt - Monocrystalline Module | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Jinko | YES | Jinko MX 60 - 255-275 Watt - power optimized module | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Jinko | | JKM195M -72B 175/180/185/190/195 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Jinko | | JKM200M -72 180/185/190/195/200 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Jinko | YES | JKM250M-60B 230/235/240/245/250 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Jinko | YES | JKM250P-60 230/235/240/245/250 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Jinko | YES | JKM255P-60 Q1 235/240/245/250/255 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Jinko | YES | JKM250M-60 235/235/240/245/250/255 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Jinko | | JKM250M-96 250/255/260/265/270 | NO | NO | NO | NO | 1575 x 1082 x 45mm A : 35mm B : 35mm | |
| Jinko | YES | JKMSXXXM-60 240/245/250/255/260 | Large Clamps | Large Clamps | NO | Model 1 | 1636 x 990 x 40mm A : 20mm B : 20mm | |
| Jinko | YES | JKMSXXXP-60 240//245/250/255/260 | Large Clamps | Large Clamps | NO | Model 1 | 1636 x 990 x 40mm A : 20mm B : 20mm | |
| Jinko | | JKMSXXXM-72 185/190/195/200/205 | NO | NO | NO | NO | 1580 x 804 x 30mm A : 20mm B : 20mm | |
| Jinko | YES | JKMSXXXP-60 235/240/245/250/255 | Large Clamps | Large Clamps | NO | Model 1 | 1636 x 990 x 40mm A : 20mm B : 20mm | |
| JSPV | | JSPXXX-20 (235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| KDG Energy | YES | KDExxxM60-EA-VET avec xxx= 230,235,240,245,250 monocristallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1662 x 997 x 42mm A : 37mm B : 37mm | |
| KDG Energy | YES | KDExxxP60-EA-VET avec xxx= 210,215,220,224,230,235w polycristallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1662 x 997 x 42mm A : 37mm B : 37mm | |
| Kinve | | KV250-60M (205/210/215/220/225/230/240/245/250) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Kinve | | KV250-60M (220/225/230/235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 45mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------------|-----|--|--------------------------------|--------------------------------|------------------------|--------------|--|--------------|
| Kinve | | KV250-60M (220/225/230/235/240/245/250) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Kioto (KPV) | YES | KPV ME EC 245/250 (Standard &Black) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 18,1mm B : 30mm | |
| Kioto (KPV) | YES | KPV ME EC 250/255/260 (Standard &Black) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 18,1mm B : 30mm | |
| Kioto (KPV) | YES | KPV ME NEC 250/255/260 (Standard &Black) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 18,1mm B : 30mm | |
| Kioto (KPV) | YES | KPV ME NEC 245/250 (Standard &Black) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 18,1mm B : 30mm | |
| Kioto (KPV) | YES | KPV PE NEC 225/230/235 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 33mm A : 10,6mm B : 10,6mm | |
| Kioto (KPV) | YES | KPV PE NEC 235/240 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 18,1mm B : 30mm | |
| Kioto (KPV) | YES | KPV PE NEC 250 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 18,1mm B : 30mm | |
| Kioto (KPV) | YES | KPV ME EC 250 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 33mm A : 10,6mm B : 10,6mm | |
| Kioto (KPV) | | KPV PE NEC (250/255/260 Wc poly) et KPV ME NEC (265/270/280 Wc mono) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 16,5mm B : 30mm | |
| Kioto (KPV) | | KPV PE NEC (250/255/260 Wp PURE POLY) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1666 x 992 x 40mm A : 16,5mm B : 30mm | |
| Korax | | KS 245 250 | NO | NO | NO | NO | 1657 x 977 x 39,5mm A : 28,5mm B : 28,5mm | |
| Kvazar | | KV XXX/24M (170/175/180/185/190/195) | NO | NO | NO | NO | 1585 x 805 x 40mm A : 30mm B : 30mm | |
| Kyocera | | KD210GH-2PU | NO | NO | NO | NO | 1500 x 990 x 46mm A : mm B : mm | |
| Kyocera | | KD 240GH-2PB | NO | NO | NO | Model 1 | 1662 x 990 x 46mm A : 35mm B : 35mm | renfort |
| Kyocera | | KD 235 GH 2PB | NO | NO | NO | Model 1 | 1662 x 990 x 46mm A : 35mm B : 35mm | renfort |
| Kyocera | | KD185GH-2PU EXCLUSIVITE sur ce module | NO | NO | NO | NO | 1338 x 990 x 46mm A : 30mm B : 20mm | |
| Kyocera | | KD190GH-2PU | NO | NO | NO | NO | 1338 x 990 x 46mm A : 30mm B : 20mm | |
| Latitude Solar | | GLA P6-60/6 | Large Clamps | Large Clamps | NO | Model 1 | 1651 x 987 x 35mm A : 25mm B : 25mm | |
| LCS Solar | | M185-RP/ M190-RP / M195-RP / M200-RP Black edition | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| LCS Solar | | LCS185-JA / M190-JA / M195-JA | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| LCS Solar | YES | P230-JA / P235-JA / P240-JA | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 35mm B : 35mm | |
| LCS Solar | YES | M240-JA/SI // M245-JA/SI //M250-JA/SI //M255-JA/SI | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| LCS Solar | YES | LCS-M250-SI | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| LCS Solar | | LCS-M195-SI / LCS-M-200-SI / LCS-M205-SI | NO | NO | NO | NO | 1580 x 808 x 40mm A : 30mm B : 30mm | |
| LDK Solar | | LDK 180 D-24 (160 à 190) et P24 serie (160 à 190) | NO | NO | NO | NO | 1586 x 808 x 40mm A : 30mm B : 30mm | |
| LDK Solar | | LDK230 D-20 serie et P20 (200 à 250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1642 x 994 x 40mm A : 30mm B : 30mm | |
| LDK Solar | | LDK serie 18 | NO | NO | NO | NO | 1484 x 994 x 40mm A : 30mm B : 30mm | |
| LDK Solar | | LDK 215P-20 (215 à 250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1642 x 994 x 40mm A : 30mm B : 30mm | |
| LG Solar | | LG Neon 2 | NO | NO | NO | NO | 1686 x 1016 x 40mm A : 29mm B : 29mm | |
| LG Solar | | LG Neon 2 black | NO | NO | NO | NO | 1686 x 1016 x 40mm A : 29mm B : 29mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIhx mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-------------|-----|---|--------------------------------|--------------------------------|---------------------|--------------|---|-------------|
| LG Solar | | LG Mono X plus | NO | NO | NO | NO | 1686 x 1016 x 40mm A : 29mm B : 29mm | |
| LG Solar | YES | LG214 P1C (220 / 225) polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1649 x 993 x 42mm A : 25mm B : 30mm | |
| LG Solar | YES | LG240M1C-G2 (235/230/240) monocrystallins | Large Clamps | Large Clamps | NO | NO | 1632 x 986 x 42mm A : 25mm B : 30mm | |
| LG Solar | YES | LG240M1W (230/235/240) monocrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1649 x 993 x 42mm A : 25mm B : 30mm | |
| LG Solar | YES | LG230P1C-G2 (220/225/230) polycrystallins | Large Clamps | Large Clamps | NO | NO | 1632 x 986 x 42mm A : 25mm B : 30mm | |
| LG Solar | YES | LG 260S1C (260/255/250/245) | Large Clamps | Large Clamps | NO | NO | 1632 x 986 x 42mm A : 25mm B : 30mm | |
| LG Solar | YES | LG XXXS1C-G3 (260/255/250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LGxxxN1C-G3 (280/285) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LG250S1K (250) | Large Clamps | Large Clamps | NO | NO | 1632 x 986 x 42mm A : 25mm B : 30mm | |
| LG Solar | YES | LG250S1K-A3 (250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | | LG Mono X 2black -LGxxxS1K-L4 (275/280) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 40mm A : 29mm B : 29mm | |
| LG Solar | YES | LGXXXN1C-A3 (285/290/295/300) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LG MonoXtm NeoN - LGXXXN1C (280/285/290/295/300) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LG MonoXtm NeoN - LGXXXN1C-B3 (290/295/300/305) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LG MonoXtm - LGXXXS1C-B3 (265/270/275/280) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LG MonoXtm BLACK - LGXXXS1K-B3 (260/265/270) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 35mm A : 22mm B : 28mm | |
| LG Solar | YES | LG Neontm2 - LGXXXN1C-G4 (305/310/315/320) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 40mm A : 15mm B : 29mm | |
| LG Solar | YES | LG Neontm2 BLACK - LGXXXN1K-G4 (300) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 40mm A : 15mm B : 29mm | |
| LG Solar | YES | LG Mono XR2 - LGXXXS1C-L4 (280/285/290) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 40mm A : 15mm B : 29mm | |
| LG Solar | YES | LG Neontm2 BiFacial - LGXXXN1T-G4 (300) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 40mm A : 29mm B : 29mm | |
| LG Solar | | LG Neon 300 watt - LG300N 1K-G4 - Black design LG Cello | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 40mm A : 15mm B : 29mm | |
| Lightway | | LW240(29)P1650x990 Series | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 32mm B : 32mm | |
| Lightway | | LWXXX(29)P1640x990 Series (235/240/250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 32mm B : 32mm | |
| Lightway | | LWXXX(29)P1640x990 Series (235/240/250/255/260) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 32mm B : 32mm | |
| Lightway | | LWXXX(29) (235/240/245/250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 35mm A : 28mm B : 28mm | |
| Linuo power | | LN240(30)M-xxx (210-250 par incrément de 5) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1662 x 992 x 42mm A : 35mm B : 35mm | |
| Linuo power | | 190W | NO | NO | NO | NO | 1590 x 808 x 50mm A : mm B : 35mm | |
| Linuo power | | LN240(30)P-3-xxx (230-250W poly) | Large Clamps | Large Clamps | NO | NO | 1634 x 982 x 42mm A : 35mm B : 35mm | |
| Luxor | | eco line 72/185-200W (LX-185M/LX-190M/LX-195M/LX-200M) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Luxor | | eco line 60 LX230P (220P/225P/230P) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Luxor | | eco line 60 LXxxxM (245M/250M/255M/260M) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|------------|-----|--|--|---------------------------------|------------------------|--------------|--|--------------|
| Luxor | | eco line 60 LX-xxxP (230/235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Luxor | | eco line 60 LX-xxxP (230/235/240) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Luxor | | Pana | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | | Secure Line - M60/250-270W - Glass-Glass Module Family Transparent Edition | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | YES | Secure Line - P60/250-270W - Glass-Glass Module Family Transparent Edition | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | YES | Secure Line - M60/250-270W - Glass-Glass Module Family Black Edition | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | | Ecoline M60/280-300W - Monocrystalline Module Family | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Luxor | | Ecoline M60/260-285W - Monocrystalline Module Family | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Luxor | | SECURE LINE - Bi-verre - LX-XXXX (250/260/270W/280) | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | YES | ECOLINE - M60/280-310W Monocrystalline module Family | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 40mm B : 40mm | |
| Luxor | | ECOLINE - M72/195-215W Monocrystalline module Family | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Luxor | YES | ECOLINE - Full Black M60/250-270W Monocrystalline module Family | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Luxor | | SECURE LINE - M60/250-270W Glass - Glass module Family Black Edition | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | YES | SECURE LINE - M60/250-270W Glass - Glass module Family Transparent Edition | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1682 x 1000 x 41mm A : 35mm B : 35mm | |
| Luxor | YES | ECOLINE - P60/260-280W Polycrystalline module Family | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec plus 220 6 PJ | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1655 x 992 x 45mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec plus 220 6 PH | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 45mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec plus 220 6 PO | NO | NO | NO | Model 1 | 1650 x 991 x 46mm A : 40mm B : 50mm | |
| Mage Solar | | Mage plus 250 MR et MJ | NO | NO | NO | NO | 1580 x 1069 x 50mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec plus 185 190 195 serie ME,série MF, série MH | NO | NO | NO | NO | 1580 x 808 x 50mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec plus 185 190 MO | NO | NO | NO | NO | 1580 x 808 x 50mm A : 40mm B : 50mm | |
| Mage Solar | | Powertec Plus XXX/6PN (250/260/265w) | Large Clamps | Large Clamps | NO | NO | 1630 x 982 x 30mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec Plus XXX/5MR (200/210w) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec Plus 250/6MR | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1655 x 992 x 45mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec Plus 275/5MR | NO | NO | NO | NO | 1580 x 1069 x 45mm A : 35mm B : 35mm | |
| Mage Solar | | Powertec Plus 265/5MRB | NO | NO | NO | NO | 1580 x 1069 x 50mm A : 35mm B : 35mm | |
| Martifer | | MTS 230P | Large Clamps | Large Clamps | NO | NO | 1639 x 982 x 35mm A : 25,4mm B : 25,4mm | |
| Martifer | | MTS 214P | Large Clamps | Large Clamps | NO | NO | 1639 x 982 x 35mm A : 25,4mm B : 25,4mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-----------------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|--|-------------|
| Medsolar | | MD P60 PX (230/235/240/245/250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1664 x 997 x 42mm A : 37mm B : 37mm | |
| Megasol | | Hochleistungs-Solarmodule M250-M270 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1640 x 992 x 50mm A : 36mm B : 36mm | |
| Megasol | | CleanFrame 2 : P260-60-w CF 2 / M260-60-b CF2 / M270-60-w CF2 | NO | NO | NO | NO | 1660 x 992 x 50mm A : 18mm B : 18mm | |
| Mitsubishi | | PV-TDXXMF5 (175/180/185/190) | NO | NO | NO | NO | 1658 x 834 x 46mm A : 30mm B : 30mm | renfort |
| Mitsubishi | | PV-TG2XXGA6 et TJ | NO | NO | NO | Model 1 | 1658 x 994 x 46mm A : 30mm B : 32mm | renfort |
| Mitsubishi | | PV-MLT 250HC | NO | NO | NO | NO | 1625 x 1019 x 46mm A : 30mm B : 30mm | renfort |
| Mitsubishi | | PV-MDT205HB (200 195) | NO | NO | NO | NO | 1658 x 834 x 46mm A : 30mm B : 30mm | renfort |
| Mitsubishi | | PV-MLU series - MLUXXHC (250/255) | NO | NO | NO | NO | 1625 x 1019 x 46mm A : 30mm B : 30mm | renfort |
| Moserbaer | | MBPV CAAP 210 à 240w | NO | NO | NO | Model 1 | 1661 x 991 x 40mm A : 35mm B : 35mm | |
| Mprime | | Mprime 215-240 | Large Clamps | Large Clamps | NO | NO | 1639 x 982 x 35mm A : 25,4mm B : 25,4mm | |
| Mprime | | Mprime 210-240 W | Large Clamps | Large Clamps | NO | NO | 1639 x 982 x 35,3mm A : 25,4mm B : 25,4mm | |
| Neo Solar Power | | D6P_B3A (240/245/250/255/260/265/270/275) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Neo Solar Power | | D6M XXX B3A (265/270/275/280/285/290/295) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| NESL | | DJ240D DJ250D | NO | NO | NO | Model 1 | 1650 x 990 x 40mm A : 35mm B : 35mm | |
| O2 Solar | | SD185 Excellium (155/160/165/170/175/180M) | NO | NO | NO | NO | 1580 x 808 x 50mm A : 35mm B : 35mm | |
| Osda Solar | | ODA250-30-P | NO | NO | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Osda Solar | | ODA260-30-M | NO | NO | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| Osda Solar | | ODA260-48-M | NO | NO | NO | NO | 1600 x 1056 x 40mm A : 35mm B : 35mm | |
| Pairan | | EGM-185 | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Pairan | | EGM-225 | Large Clamps | Large Clamps | NO | NO | 1650 x 990 x 50mm A : 35mm B : 35mm | |
| Pairan | | TWY 2xxP60 (230-235-240-245) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Pairan | | TWxxx(35)D-2 series (160 à 200W) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Pairan | | TWY-xxxMD-2 (185 à 200w) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Pairan | | PS190 et 195 F series Mono | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Panasonic | | HIT H250 / H245 | NO | NO | NO | NO | 1610 x 861 x 35mm A : 12mm B : 24mm | |
| Panasonic | | HIT N235 / N240 | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24mm | |
| Panasonic | | HIT N245 / N240 | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24,95mm | |
| Panasonic | | HIT VBHN245SJ25 / VBHN240SJ25 | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24,95mm | |
| Panasonic | | HIT VBHN330SJ47 / VBHN325SJ47 | NO | NO | NO | NO | 1590 x 1053 x 35mm A : 37mm B : 32mm | |
| Panasonic | | HIT VBHN285SJ40 | NO | NO | NO | NO | 1463 x 1053 x 46mm A : 37mm B : 37mm | |
| Perfect Energy | | PEM-180/X-72M-SCC | NO | NO | NO | NO | 1580 x 808 x 45mm A : 30mm B : 60mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------------------|-----|---|--|---------------------------------|------------------------|--------------|--|--------------|
| Perfect Energy | | PEM-230/X-60P | NO | NO | NO | NO | 1650 x 991 x 50mm A : mm B : mm | |
| Perfect Energy | | PEM-230/X-96M | NO | NO | NO | NO | 1580 x 1065 x 50mm A : mm B : mm | |
| Perlight | | PLM serie PLM-185/24 (145 à 185W) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Perlight | | PLM-XXXM-60 SERIES + (235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Perlight | | BLACKPLUS SERIES - PLM-285MB-60 Series | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Perlight | | PLM-XXXM-60 SERIES (250/255/260/280/285/300) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 30mm B : 30mm | |
| Perlight - Intenergy | | INE-POLY-60 Classic Series | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Phono Solar | | DIAMOND Series 280-330 (poly) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Phono Solar | | DIAMOND Series 280-330 (mono) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Phono Solar | | DIAMOND Series 235-265 (poly) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | ONYX Series 235-265 black (poly) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | DIAMOND Series 235-270 (mono) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | ONYX Series 235-270 black (mono) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | AC Series 240-250 (poly) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | DIAMOND Series 190-210 (mono) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Phono Solar | | DIAMOND Series 190-210 (mono) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | ONYX Series 190-210 Black (mono) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Phono Solar | | ONYX Series 190-210 Black (mono) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Phono Solar | | U series Mono PS220M-20/U HEC+ (220 à 260W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Phonosolar | | U series Poly PS220P-20/U HEC+ (220 à 260w) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Photowatt | | PW2300 | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Photowatt | YES | PW2350 (220/225/230/235/240/245/250) polycrystallins | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Photowatt | YES | PW2500 (230/235/240/245/250) monocrystallins | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Photowatt | YES | PW2500F (240/245/250/255/260/265) monocrystallins | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1685 x 993 x 40mm A : 25mm B : 25mm | |
| Photowatt | YES | PW2350F (220/225/230/235/240/245/250) polycrystallins | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1685 x 993 x 40mm A : 25mm B : 25mm | |
| Photowatt | | PW1650 (165/170/175/180/185) | NO | NO | NO | NO | 1237 x 1082 x 38mm A : 11,3mm B : 26mm | |
| Photowatt | | PW2050 | NO | NO | NO | NO | 1474 x 995 x 38mm A : 13,7mm B : 26mm | |
| Photowatt | YES | PW2450 (245/250/255/260) monocrystallins | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Photowatt | YES | PW2450 F (240/245/250/255/260) polycrystallins | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1685 x 993 x 40mm A : 25mm B : 25mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|-----------|-----|---|--|-------------------------|------------------------|--------------|--|-------------|
| Photowatt | | Module 60 cellules PW 2350 multicrystallins | Large Clamps | Large Clamps | NO | NO | 1638 x 982 x 40mm A : 35mm B : 35mm | |
| Qcells | YES | Q base 215-230 multi | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 40mm B : 40mm | |
| Qcells | YES | Q pro 225-240 multi | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 40mm B : 40mm | |
| Qcells | YES | Q peak | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 40mm B : 40mm | |
| Qcells | YES | Q peak blk | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 40mm B : 40mm | |
| Qcells | YES | Q base G2 230-245 | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 40mm B : 40mm | |
| Qcells | YES | Q pro G2 230-250 | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 40mm B : 40mm | |
| Qcells | YES | Q.PEAK-G2 (250/255/260/265) | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 30mm B : 30mm | |
| Qcells | YES | Q.PEAK (245/250/255/260/265) | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 30mm B : 30mm | |
| Qcells | | Q.PEAK S-G3 (200/205/210) | NO | NO | NO | NO | 1348 x 1000 x 35mm A : 30mm B : 30mm | |
| Qcells | YES | Q.PRO-G2 (240/245/250/255) | Normal Clamps | Normal Clamps | NO | NO | 1670 x 1000 x 50mm A : 30mm B : 30mm | |
| Qcells | | Q.PEAK S (200/205/210) | NO | NO | NO | NO | 1348 x 1000 x 50mm A : 30mm B : 30mm | |
| Qcells | YES | Q.PRO-G3 (240/245/250/255) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 35mm A : 30mm B : 30mm | |
| Qcells | YES | Q.PRO-G3 BLK (245/250/255/260/265) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 35mm A : 30mm B : 30mm | |
| Qcells | | Q.PRO-G4 (255/260/265) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q.PLUS-G3 (270/280) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 35mm A : 30mm B : 30mm | |
| Qcells | | Q.PLUS-G4 (270/280) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q.PEAK BLK-G3 (245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 35mm A : 30mm B : 30mm | |
| Qcells | YES | Q.PEAK-G3 (250/255/260/265) | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 35mm A : 30mm B : 30mm | |
| Qcells | YES | Q.PLUS BFR-G4.1 275-285 / module Q - Antum | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q PEAK G4.1 290-305 / module Q - Antum | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q PEAK BLK - G4.1 285-295 / module Q - Antum | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q PLUS-G4.3 270-280 / module Q - Antum | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q PRO BFR-G4.1 260-270 / module solaire polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | YES | Q PLUS BFR-G4.2 270-280 / Q Antum Solar Module | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | | Q PEAK BLK-G4.1 290-300 | Normal Clamps | Normal Clamps | NO | Model 1 | 1670 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| Qcells | | Q PEAK DUO-G5 305-330 | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | Model 2 | 1685 x 1000 x 32mm A : 32,8mm B : 32,8mm | |
| QIXIM | | SL190CE-36M | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| QXPV | | SL250-270TU-48M | NO | NO | NO | NO | 1600 x 1056 x 40mm A : 35mm B : 35mm | |
| QXPV | | Model (SL230-250TU-30P) | NO | NO | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|----------------|-----|---|--------------------------------|--------------------------------|---------------------|--------------|---|--------------|
| QXPV | | Model (SL190-210TU-36M) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| REC | YES | REC 215 PE (215/220/225/230/235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 38mm A : 28mm B : 28mm | |
| REC | YES | REC Twin peak 2 BLK2 - series | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 997 x 38mm A : 28mm B : 28mm | |
| REC | YES | REC Twin peak energy series | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 38mm A : 28mm B : 28mm | |
| REC | YES | REC Twin peak 2 series | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 997 x 38mm A : 28mm B : 28mm | |
| REC | YES | REC Twinpeak Series | Large Clamps | Large Clamps | NO | Model 1 | 1665 x 991 x 38mm A : 28mm B : 28mm | |
| Recom | | Amur Leopard - RCM-280-6PB-4-SW | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | | Black Panther - RCM-xxx-6MB (270-290) BB | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | YES | Black Panther - RCM-xxx-6MB (270-290) SW | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | | Black Panther - RCM-xxx-6MA (335-355) SW - mono | NO | NO | NO | NO | 1956 x 992 x 40mm A : 35mm B : 35mm | |
| Recom | | Black Panther - RCM-xxx-6MA (310-330) SW - mono | NO | NO | NO | NO | 1956 x 992 x 40mm A : 35mm B : 35mm | |
| Recom | | Black Panther - RCM-xxx-6MB (280-295) BB | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | YES | Black Panther - RCM-xxx-6MB (280-295) SW | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | | Black Panther - RCM-xxx-6MB (300-305) BB | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | YES | Black Panther - RCM-xxx-6MB (300-305) SW | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | YES | Amur Leopard - RCM-xxx6PB (xxx=250-260) SW | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | YES | Amur Leopard - RCM-xxx6PB-SW (xxx=260-270) SW | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom | YES | Black Panther - RCM-xxx-6MB (250/260/270/280) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Recom / Sillia | YES | Recom Sillia mono 295-305 Wc "Plus" serie 60M | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Recom / Sillia | YES | Recom Sillia poly 265-285 Wc "Plus" serie 60P | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Recom / Sillia | YES | Recom Sillia 250-270Wp poly serie 60P | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Recom / Sillia | YES | Recom Sillia mono 265-285Wc serie 60M | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Redsun | | RS-630-210 (220-230) | Normal Clamps | Normal Clamps | NO | Model 1 | 1635 x 993 x 40mm A : 35mm B : 35mm | |
| Renesola | YES | JC220M-24/Bb (220/230/240/250) Virtus module monocrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Renesola | | JC185S-24/Db (185 et 190) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Renesola | | JCSM 190D | NO | NO | NO | NO | 1580 x 808 x 35mm A : mm B : mm | |
| Renesola | YES | Serie 156_Monocrystalline JCXXXS-24/Bp (250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 30mm B : 30mm | |
| Renesola | YES | VIRTUS II_Serie 156_Polycristallin JCXXXM-24/Bp (240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 30mm B : 30mm | |
| Rew Solar | | Layout REW Datenblatt 215 240 Mono 96 | NO | NO | NO | NO | 1602 x 1061 x 46mm A : mm B : 50mm | |
| Rew Solar | | Rew classic UP 60 POLY RCXXXUM60 (225/230/235/240) | NO | NO | NO | Model 1 | 1637 x 997 x 46mm A : 50mm B : 50mm | |
| Rew Solar | | Rew classic UP 60 MONO RCXXXUM60 (230/235/240/245/250) | NO | NO | NO | Model 1 | 1637 x 997 x 46mm A : 50mm B : 50mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|--------------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|---|-------------|
| Rew Solar | | Rew Classic QM 60 FULL BLACK XXX QM60 (225/230/235/240) | NO | NO | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| Rew Solar | | Rew Classic UM 96 XXXUM96 (250/255/260) | NO | NO | NO | NO | 1601 x 1061 x 46mm A : 50mm B : 50mm | |
| Risen | | SYP185S-M (185 à 200w) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Risen | | SYP250S-M | NO | NO | NO | NO | 1580 x 1070 x mm A : mm B : mm | |
| Risen | | 210-250 mono | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Risen | | SYP250P | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 35mm B : 35mm | |
| Risen | | SYPXXXS (200/210/215/220/225/230/235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Romag | | RSM 6(60) (235-255W) | NO | NO | NO | NO | 1630 x 986 x 35mm A : 20mm B : 20mm | |
| Romag | | RSM 6(54)(210-230W) | NO | NO | NO | NO | 1472 x 986 x 35mm A : 20mm B : 20mm | |
| Romag | | RSM 6(48) (190-205W) | NO | NO | NO | NO | 1314 x 986 x 35mm A : 20mm B : 20mm | |
| Rupa | | RU 250 PLM-60 | NO | NO | NO | Model 1 | 1650 x 992 x 46mm A : 35mm B : 35mm | |
| Saint Gobain | | SG solar SKA185 et 190M72-WN | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Saint Gobain | | SG solar SKA 240M60-WN 40 (240/245/250) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Sainty Solar | | GES-6MXXX (240/245/250/255/260) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Samsung | | LPC241SM-06S (241/244/247/250) | Large Clamps | Large Clamps | NO | NO | 1630 x 982 x 46mm A : 28mm B : 28mm | |
| Samsung | | PV-MBA1BGXXX (247,250,255) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1644 x 992 x 46mm A : 28mm B : 32mm | |
| Sanyo | | HIP 214NKHE5 et HIP215NKHE5 | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24mm | |
| Sanyo | | HIP-215NKHE1 et HIP-210NKHE1 et HIP-205NKHE1 | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24mm | |
| Sanyo | | HIP-230HDE1 et HIP-225HDE1 et HIP-220HDE1 | NO | NO | NO | NO | 1610 x 861 x 35mm A : 12mm B : 24mm | |
| Sanyo | | HIP 205-215 NHE5 | NO | NO | NO | NO | 1570 x 798 x 35mm A : 12mm B : 24mm | |
| Sanyo | | HIT-N240SE10 nouveau (230-235-240) | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24mm | |
| Sanyo | | HIT-2xxDNKHE1 | NO | NO | NO | NO | 1630 x 862 x mm A : mm B : mm | |
| Sanyo | | HIT-H250E01 et HIT-H245E01 | NO | NO | NO | NO | 1610 x 861 x 35mm A : 12mm B : 24mm | |
| Sanyo | | HIT N240 / N235 | NO | NO | NO | NO | 1580 x 798 x 35mm A : 12mm B : 24mm | |
| Scheuten | | P6-60 (235-235W) industrila Line i30 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| Scheuten | | P6-60 (235-235W) Gold Line | Normal Clamps | Normal Clamps | NO | Model 1 | 1659 x 1000 x 42mm A : 27mm B : 27mm | |
| Scheuten | | P6-54 (180-210W) Gamme Multisol | NO | NO | NO | NO | 1500 x 1000 x 42mm A : 27mm B : 27mm | |
| Schott | YES | Schott PERFORM POLY 235/240/245/250 | Large Clamps | Large Clamps | NO | Model 1 | 1652 x 990 x 35mm A : 16,4mm B : 16,4mm | |
| Schott | | 175/180/185Wc 6 pouces poly | NO | NO | NO | NO | 1350,5 x 993 x 50mm A : 26mm B : 26mm | |
| Schott | | Schott Mono 180/185/190 | NO | NO | NO | NO | 1620 x 810 x 50mm A : 26mm B : 1mm | |
| Schott | | 165-180 et EFG155/160/165 | NO | NO | NO | NO | 1620 x 810 x 50mm A : 26mm B : 26mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|------------|-----|--|--|---------------------------------|------------------------|--------------|--|-------------|
| Schott | | Schott Poly 220-235 | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | NO | 1685 x 993 x 50mm A : 26mm B : 26mm | |
| Schott | | Schott Poly 210/217/220/225/230 | Normal Clamps Not compatible with deflectors | Normal Clamps | NO | NO | 1685 x 993 x 50mm A : 26mm B : 26mm | |
| Schott | YES | Schott PERFORM MONO 255/260/265/270 | Large Clamps | Large Clamps | NO | Model 1 | 1652 x 990 x 35mm A : 16,4mm B : 16,4mm | |
| Schott | | Schott PERFORM MONO 180/185/190/195 | NO | NO | NO | NO | 1620 x 810 x 50mm A : 26mm B : 26mm | |
| Schott | | Schott PROTECT POLY 175/180/185 | NO | NO | NO | NO | 1350,5 x 993 x 50mm A : 26mm B : 26mm | |
| Schott | | Schott PROTECT ASI 100/103/105/107 | NO | NO | NO | NO | 1308 x 1108 x 35mm A : 26mm B : 26mm | |
| Schüco | | MPE Série MS 05 | NO | NO | NO | NO | 1581 x 809 x 42mm A : 30mm B : 30mm | 2 barres |
| SCN Energy | | SCN-170/X-72M 160 à 190w | NO | NO | NO | NO | 1580 x 808 x 35mm A : 30mm B : 30mm | |
| S-Energy | | SM-XXXPA8 (200->235) | NO | NO | NO | NO | 1620 x 980 x 50mm A : 25mm B : 25mm | |
| S-Energy | | SM-175MQ5 | NO | NO | NO | NO | 1587 x 790 x 38mm A : 35mm B : 22,6mm | |
| S-Energy | | SNXXXP-10 (245/250/255/260) | NO | NO | NO | NO | 1650 x 990 x mm A : mm B : mm | |
| Senersun | | SSM60C 235 245 | NO | NO | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Senersun | | SSP60C 225-245 Wp | NO | NO | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| Senersun | | SSM96A 250-260 Wp | NO | NO | NO | NO | 1580 x 1062 x 50mm A : 35mm B : 35mm | |
| Senersun | | SSM72A 185-190 Wp | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Senersun | | SSM60C 230-255 et 235-245 Wp | NO | NO | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| Senersun | | SSM72C 275-300 Wp | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Senersun | | SSP72C 270-285 Wp | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Seraphim | | SRP-xxx-6PB (235/240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Seraphim | | SRP-xxx-6MB (255/260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Seraphim | | SRP-xxx-5MA (270/275/280/285) | NO | NO | NO | NO | 1580 x 1046 x 40mm A : 35mm B : 35mm | |
| Sharp | | NU-185E1 et 180 E1 (avant 28/11/2010) | NO | NO | NO | NO | 1318 x 994 x 46mm A : 48mm B : 40mm | renfort |
| Sharp | | NU-185E1 et 180 E1H (après 28/11/2010) | NO | NO | NO | NO | 1318 x 994 x 46mm A : 35mm B : 30mm | renfort |
| Sharp | | ND 220E1F, ND 210E1F, ND F230A1, NU E235E1 | NO | NO | NO | Model 1 | 1652 x 994 x 46mm A : 48mm B : 40mm | renfort |
| Sharp | | ND 220E1J, ND 210E1J, ND E230A2 | NO | NO | NO | Model 1 | 1652 x 994 x 46mm A : 35mm B : 30mm | renfort |
| Sharp | | NU-E245 (J5), NU-E240 (J5), NU-E235 (E2) | NO | NO | NO | Model 1 | 1652 x 994 x 46mm A : 35mm B : 30mm | renfort |
| Sharp | | NU-R250J5 (250,245,240) | NO | NO | NO | Model 1 | 1652 x 994 x 46mm A : 35mm B : 30mm | renfort |
| Sharp | | ND-R250A5 (250/245/240/235/230/225/220) avec barre de renfort centrale | NO | NO | NO | Model 1 | 1652 x 994 x 46mm A : 35mm B : 30mm | renfort |
| Sharp | | ND-RC250-260 | NO | NO | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Sharp | | NU-RD285-300 | NO | NO | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIhx mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-----------------|-----|--|---------------------------------|---------------------------------|------------------------|--------------|--|-------------|
| Sharp | | ND-RJ 260/265/270 W poly | NO | NO | NO | Model 1 | 1654 x 989 x 40mm A : 13,9mm B : 13,9mm | |
| Shinetime Solar | | XTM6-60 | NO | NO | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Shinetime Solar | | XTM6-60BK | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Shunda | | SDM-170/X-72M | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Shunda | | SDM-230X-60M | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 997 x 46mm A : 35mm B : 35mm | |
| SI module | | SI-Power M240 (245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1667 x 1000 x 42mm A : 40mm B : 40mm | |
| SI module | | SI-HighAlpine | NO | NO | NO | Model 1 | 1667 x 1000 x 42mm A : 40mm B : 40mm | renfort |
| Siliken | | SLK60M6L (noir ou gris) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 29mm B : 29mm | |
| Siliken | | SLK60P6L (noir ou gris) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 29mm B : 29mm | |
| Siliken | | SLK50P6L | NO | NO | NO | NO | 1640 x 830 x 40mm A : 29mm B : 29mm | |
| Sillia | YES | 60M235 (235/240/245/250) monocrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 1001 x 42mm A : 37mm B : 37mm | |
| Sillia | YES | 60P230 (230/235/240/245) polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 1001 x 42mm A : 37mm B : 37mm | |
| Sillia | | SetxxxC (187 à 200) | NO | NO | NO | NO | 1337 x 1001 x 42mm A : 37mm B : 37mm | |
| Sillia | YES | Set2xxG (230 à 245) polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 1001 x 42mm A : 37mm B : 37mm | |
| Sillia | | 48M187 (187,190/195/200) | NO | NO | NO | NO | 1337 x 1001 x 42mm A : 37mm B : 37mm | |
| Sillia | YES | 60MXXX (260/265/270/275/280/285) monocrystallins | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Sillia | YES | 60MXXX-V (260/265) monocrystallins | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Sillia | YES | 60PXXX (250/255/260/265/270) polycrystallins | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Sillia | YES | 60PXXX-V (250/255/260) polycrystallins | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 9mm B : 30mm | |
| Sillia | | Série 60M: 265 à 285 Wc | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 30mm B : 30mm | |
| Silveo | | Triex U-Series (290/295/300/305) | NO | NO | NO | NO | 1586 x 1021 x 40mm A : mm B : mm | |
| Simax | | 156 SP660 - XXX (230/235/240/245/250) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 50mm B : 50mm | |
| Simax | | 156 BLACK SP660 - XXX (235/240/245/250) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 50mm B : 50mm | |
| Simax | | 156 SM660 - XXX (240/250/260) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 50mm B : 50mm | |
| Simax | | 156 BLACK SM660 - XXX (240/250/260) | NO | NO | NO | Model 1 | 1640 x 992 x 40mm A : 50mm B : 50mm | |
| Simax | | 156 SP672 - XXX (280/285/290/295/300) | NO | NO | NO | NO | 1956 x 992 x 40mm A : 50mm B : 50mm | |
| Simax | | 156 SM672 - XXX (280/285/290/295/300) | NO | NO | NO | NO | 1956 x 992 x 40mm A : 50mm B : 50mm | |
| Simax | | 125 SM572 - XXX (190/195/200/205/210) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Simax | | 125 BLACK SM572 - XXX (190/195/200/205/210) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Sinodeu | | ZDxxx-20P (205/210/215/220/225/230) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Sinski 185 | | SPV180-24 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|--------------------|-----|---|--------------------------------|--------------------------------|------------------------|--------------|--|-------------|
| SNA | YES | SNA-PVSTD LUXE MONO (230/240/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 37mm B : 37mm | |
| SNA | YES | SNA-PVSTD MONO (230/240/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 37mm B : 37mm | |
| SNA | YES | SNA-PVSTD POLY (230/240/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 37mm B : 37mm | |
| SNA | YES | SNA-PVSTD CLEAR MONO (230/240/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 37mm B : 37mm | |
| SNA | YES | SNA-PVSTD CLEAR POLY (230/240/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 42mm A : 37mm B : 37mm | |
| So Link | | CELLAFREDDO | NO | NO | NO | Model 1 | 1649 x 991 x 40mm A : 27mm B : 27mm | |
| Solar Fabrik | | SF150H (185/190/195) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Solar Fabrik | YES | Premium L Mono : 225/230/235/240/245 w | Normal Clamps | Normal Clamps | NO | NO | 1667 x 998 x 50mm A : 30mm B : 30mm | |
| Solar Fabrik | YES | Premium L Mono black : 245,250,255w | Normal Clamps | Normal Clamps | NO | NO | 1667 x 998 x 50mm A : 30mm B : 30mm | |
| Solar Fabrik | YES | Premium L Poly : 200/210/220/225/230/235) | Normal Clamps | Normal Clamps | NO | NO | 1667 x 998 x 50mm A : 30mm B : 30mm | |
| Solar Fabrik | | Premium XM mono black : 190,195,200,205 | NO | NO | NO | NO | 1351 x 998 x 50mm A : 30mm B : 30mm | |
| Solar Fabrik | | Premium M mono : 190,195,200 | NO | NO | NO | NO | 1593 x 801 x 35mm A : 30mm B : 30mm | |
| Solar Fabrik | | Premium S poly | NO | NO | NO | NO | 1491 x 669 x 35mm A : 30mm B : 30mm | |
| Solar Fabrik | YES | Pro L2 : 230, 235, 240 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1636 x 992 x 45mm A : 35mm B : 35mm | |
| Solar Fabrik | YES | Pro L3 : 250,255 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| Solar Fabrik | | Pro M3 : 195,200 | NO | NO | NO | NO | 1580 x 808 x 40mm A : 30mm B : 30mm | |
| Solar Fabrik | | Pro M2 185 à 200W | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Solar Fabrik | YES | Premium L Mono : 250, 255,260, 265w Next Generation | Normal Clamps | Normal Clamps | NO | Model 1 | 1667 x 998 x 35mm A : 13,85mm B : 13,85mm | |
| Solar Fabrik | YES | Premium L Mono black : 245,250,255w Next Generation | Normal Clamps | Normal Clamps | NO | Model 1 | 1667 x 998 x 35mm A : 13,85mm B : 13,85mm | |
| Solar Fabrik | YES | Premium L Poly : 230,235,240w Next Generation | Normal Clamps | Normal Clamps | NO | Model 1 | 1667 x 998 x 35mm A : 13,85mm B : 13,85mm | |
| Solar Fabrik | | Premium M mono : 190,195,200 Next Generation | NO | NO | NO | NO | 1593 x 801 x 35mm A : 13,85mm B : 13,85mm | |
| Solar Fabrik | | Premuim XM mono black : 190,195,200,205,210 Next Generation | NO | NO | NO | NO | 1351 x 998 x 35mm A : 13,85mm B : 13,85mm | |
| Solar Fabrik | | Vision 60 / Vision 60 Black /Vision 60 black frame- Polycristallin - (240/245/250/255/260) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Solar Fabrik | | Vision 60 mono Black - Polycristallin - (245/250/255/260/265) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Solar Fabrik | | Professional 60 poly / Professional 60 poly black (245,250,255,260) | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Solar Fabrik | | Professional 60 mono / Professional 60 mono black (245/250/255/260/265) | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Solar Frontier | | SF130-L 140, 145, 150 | NO | NO | NO | NO | 1257 x 977 x 35mm A : 31mm B : 31mm | |
| Solar Frontier | | SFXXX-S (145/150/155/160/165/170) | NO | NO | NO | NO | 1257 x 977 x 35mm A : 30mm B : 30mm | |
| Solar Frontier | | SF87H-EX-B | NO | NO | NO | NO | 1235 x 641 x 35mm A : mm B : 30mm | |
| Solar Futur Energy | | SFE.PF-6-250 | Large Clamps | Large Clamps | NO | Model 1 | 1636 x 990 x 35mm A : 32mm B : 32mm | |
| Solarday | | PX-60 (210/220/230) | NO | NO | NO | NO | 1665 x 1005 x 43mm A : 28mm B : 28mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|-------------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|--|--------------|
| Solarezo | YES | RS230-250M60 monocrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 27,5mm B : 27,5mm | |
| Solarezo | YES | RS220-250P60 polycrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 45mm A : 27,5mm B : 27,5mm | |
| Solarezo | | RS190-215P54-2 | NO | NO | NO | NO | 1482 x 992 x 45mm A : 27,5mm B : 27,5mm | |
| Solarfennel | | PWP-XXXW/P6Y-XXX (230/235/240) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 46mm A : 35mm B : 35mm | |
| SolarFun | | SF160H-24-1MxxxB et SF160H-24-MxxxB (150 à 190w) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| SolarFun | | SF160 mono x-tra | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| SolarFun | | SF160-24-M | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Solarfun | | Black Diamond (170 à 195w) | NO | NO | NO | NO | 1580 x 808 x 45mm A : 35mm B : 35mm | |
| Solaria | | S5M +225 (225/230/235/240/245/250) | NO | NO | NO | NO | 1586 x 1056 x 35,34mm A : mm B : mm | |
| Solaria | | S6M-2G230 (230 à 250) | Large Clamps | Large Clamps | NO | Model 1 | 1646 x 991 x 38mm A : 30mm B : 30mm | |
| Solaria | | S6P-2G220 (220 à 240) | Large Clamps | Large Clamps | NO | Model 1 | 1646 x 991 x 38mm A : 30mm B : 30mm | |
| Solarpeace | | P7Y (280/285/290/300) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Solarwatt | | Solarwatt 60M style (260/265/270) | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Solarwatt Blue 60P (230/235/240/245/250/255) polycrystallins | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Solarwatt 60P (250/255/260) (Sans l'option équipement cross rail// "Sans la barre de renfort") polycrystallins | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Solarwatt 60M (265/270) monocrystallins | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Solarwatt M220-60 GET AK monocrystallins | Large Clamps | Large Clamps | NO | NO | 1680 x 990 x 50mm A : 30mm B : 30mm | |
| Solarwatt | YES | Modules bi-verre Solarwatt | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Nouvelle génération bi-verre Solarwatt 60P Style | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Nouvelle génération bi-verre Solarwatt 60P | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Nouvelle génération bi-verre Solarwatt 60M High Power | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Nouvelle génération bi-verre Solarwatt 60M Style | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| Solarwatt | YES | Made in Dresden - Solarwatt Blue 60P | Large Clamps | Large Clamps | NO | Model 2 | 1680 x 990 x 40mm A : 30mm B : 30mm | |
| SolarWorld | YES | Sunmodule plus SW 245 mono | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 34mm A : 29mm B : 29mm | |
| SolarWorld | YES | Sunmodule plus SW (200/205/210/215/220/225) poly | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 34mm A : 29mm B : 29mm | |
| SolarWorld | YES | Sunmodule plus SW 250 poly (225 à 250) Version 2.0 | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 31mm A : 15,3mm B : 15,3mm | |
| SolarWorld | YES | Sunmodule plus SW 250 mono (230 à 250) Version 2.0 | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 31mm A : 15,3mm B : 15,3mm | |
| SolarWorld | YES | Sunmodule plus SW 250 Blackmono (230 à 250) Version 2.0 | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 31mm A : 15,3mm B : 15,3mm | |
| SolarWorld | YES | Sunmodule Plus SW 260-290 mono (260/265/280/285/290 w) | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 33mm A : 10,5mm B : 29mm | |
| SolarWorld | YES | Sunmodule Plus SW 250-280 mono black (250/275/280 w) | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 33mm A : 10,5mm B : 29mm | |
| SolarWorld | YES | Sunmodule Plus SW 250-260 poly (250/255/260 w) | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 33mm A : 10,5mm B : 29mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|-------------------|-----|--|---------------------------------|---------------------------------|------------------------|--------------|---|-------------|
| SolarWorld | YES | Sunmodule Protect SW 250 mono black | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 33mm A : 10,5mm B : 29mm | |
| SolarWorld | YES | Sunmodule Protect SW 250 poly | Normal Clamps | Normal Clamps | NO | Model 1 | 1675 x 1001 x 33mm A : 10,5mm B : 29mm | |
| Soleos | | Soleos BLK 185-8mm | NO | NO | NO | NO | 1580 x 808 x 35mm A : 32mm B : 32mm | |
| Soleos | | 250-2MS | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 27mm B : 27mm | |
| Soleos | | 250P-EU | Normal Clamps | Normal Clamps | NO | Model 1 | 1676 x 998 x 41mm A : 27,8mm B : 27,8mm | |
| Solet | | Solet 60,6 - 225/245 Solar Photovoltaic Module | Normal Clamps | Normal Clamps | NO | Model 1 | 1662 x 997 x 42mm A : 37mm B : 37mm | |
| Sollevo | | SV-T-190/SV-T-195/SV-T-200/SV-T-205 | NO | NO | NO | NO | 1571 x 951 x 46mm A : 34mm B : 34mm | |
| Solon | | SOLON BLUE 220/03 | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 42mm A : 37mm B : 37mm | |
| Solon | | SOLON 230/02 | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 42mm A : 37mm B : 37mm | |
| Solon | | SOLON Black 230/07 (240/245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 42mm A : 37mm B : 37mm | |
| Solon | | SOLON Blue 230/07 (225/230/235/240/245/250/255/260) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 42mm A : 37mm B : 37mm | |
| Solon | | SOLON Black 220/16 (225/230/235/240/245/250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 34mm A : 30mm B : 30mm | |
| Solon | | SOLON Blue 220/16 (225/230/235/240/245/250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1640 x 1000 x 34mm A : 30mm B : 30mm | |
| Solsonica | | Silver Plus S612SPP (285/290/295/300) | NO | NO | NO | NO | 1979 x 998 x 35mm A : 25mm B : 25mm | |
| Solsonica | YES | Silver Plus S610SPP (235/240/245/250/255/260) polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 998 x 35mm A : 25mm B : 25mm | |
| Solsonica | YES | Silver Plus S610SPP (235/240/245/250/255/260) B polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 998 x 35mm A : 15mm B : 15mm | |
| Solsonica | YES | Silver Plus Mono - S610SPM (255/260/265) | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 998 x 35mm A : 25mm B : 25mm | |
| Solsonica | YES | Silver Plus Mono - S610SPM (255/260/265) | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 998 x 35mm A : 15mm B : 15mm | |
| Solton | | Solton SPI-60-250P | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Soluxtec | | Das Modul 300 - Mono Serie | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 35mm A : 30mm B : 30mm | |
| Soluxtec | | PowerSlate Mono Dark Serie (245/250/255/260) | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 40mm A : 35mm B : 35mm | |
| Soluxtec | | PowerSlate Multi Dark Serie (235/240) | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 40mm A : 35mm B : 35mm | |
| Soluxtec | | MULTI Serie WHITE FR60 250-260 Wp | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 35mm A : 30mm B : 30mm | |
| Soluxtec | | MULTI Serie BLACK FR60 250-260 Wp | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 35mm A : 30mm B : 30mm | |
| Soluxtec | YES | Das Modul mono serie - 275-300Wp | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 35mm A : 28mm B : 28mm | |
| Soluxtec | YES | Das Modul multi serie - 250+255+260+265+270Wp | Large Clamps | Large Clamps | NO | NO | 1645 x 985 x 35mm A : 28mm B : 28mm | |
| Solvis | YES | SV60-XXX (245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Solvis | | Model SV60E - LQSOLVIS-DS-EN-SV60-E_4BB | NO | NO | NO | Model 1 | 1650 x 992 x 40mm A : mm B : mm | |
| Solvis | | Model SV60E - SOLVIS-SV60-290-305E | NO | NO | NO | Model 1 | 1650 x 992 x 40mm A : mm B : mm | |
| Sonnenstromfabrik | YES | Vision smart / BALANCE / Black Monocrystalline - Vision XXXM60 (260/265/270/275) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |
| Sonnenstromfabrik | YES | Vision smart / BALANCE / Black Pycrystalline - Vision XXXP60 (250/255/260/255) | Large Clamps | Large Clamps | NO | Model 2 | 1677 x 990 x 40mm A : 26,4mm B : 26,4mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|-------------------|-----|--|---------------------------------|---------------------------------|---------------------|--------------|--|--------------|
| Sonnenstromfabrik | | Vision BALANCE / SMART / BLACK Polycrystalline (260/265/270/275) | NO | NO | NO | NO | 1700 x 1000 x 40mm A : 26,4mm B : 26,4mm | |
| Sonnenstromfabrik | YES | PROFESSIONAL GLASS/GLASS M60 balance smart black Monocrystallin 275-290Wc | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 1000 x 40mm A : 26,4mm B : 26,4mm | |
| Sonnenstromfabrik | YES | PROFESSIONAL GLASS/GLASS P60 balance smart black Polycrystalline 260-275Wc | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 1000 x 40mm A : 26,4mm B : 26,4mm | |
| Sonnenstromfabrik | YES | PROFESSIONAL GLASS/GLASS PERC60 balance smart black PERC 290-305WP | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 1000 x 40mm A : 26,4mm B : 26,4mm | |
| Sonnenstromfabrik | YES | PROFESSIONAL M60 Monocrystallin 275-290 Wc | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 1000 x 40mm A : 26,4mm B : 26,4mm | |
| Sonnenstromfabrik | YES | PROFESSIONAL P60 Polycrystallin 260-275 Wc | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 1000 x 40mm A : 26,4mm B : 26,4mm | |
| Sopray | | SR156P-200 (200 à 240W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1650 x 992 x 50mm A : 35mm B : 35mm | |
| Sovello | | 200-205-210 | NO | NO | NO | NO | 1571 x 951 x 41mm A : 41mm B : 41mm | |
| SunEdison | | FXXX CyC-3x (255/260/265/270) /// FXXX KyC-2x (255/260/265) | Large Clamps | Large Clamps | NO | NO | 1658 x 990 x 50mm A : 30mm B : 30mm | |
| SunEdison | | SILVANTIS R-SERIES - RXXXCzC (280/285/290) and RXXXKzC (275/280/285) | Large Clamps | Large Clamps | NO | NO | 1658 x 990 x 50mm A : 30mm B : 30mm | |
| SunEdison | | SILVANTIS F-SERIES - RXXXCzC (255/260/265/270/275) and RXXXKzC (255/260/265/270/275) | Large Clamps | Large Clamps | NO | NO | 1658 x 990 x 50mm A : 30mm B : 30mm | |
| Suneka | | Suneka (235/240) | NO | NO | NO | NO | 1640 x 992 x 50mm A : mm B : mm | |
| Sunerg | | XP60/156 serie IPLUS (225/230/235/240/245/250) | NO | NO | NO | Model 1 | 1645 x 990 x 46mm A : 27mm B : 27mm | |
| Sunerg | YES | X-STYLE - XP60/156 (235w) (156-235) | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | YES | X-STYLE - XP460-XXX I+35 (250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | YES | X-MAX - XM460-XXX I+35 (290/295) | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | YES | X-STYLE - XM460-XXX I+35 (265/270/275/280/285) | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | YES | X-STYLE - XM460-300 I+35 | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | YES | X-STYLE-XM156-XXXI+35 (250/255/260/265/270/275) | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | YES | X-CLASSIC SUN-PLUS POLYCRYSTALLINS - 250-260-270Wp | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1645 x 992 x 35mm A : 35mm B : 35mm | |
| Sunerg | YES | X-STYLE - XP60/156-XXXI+35 (240/245/250/255/260w) | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | | X-GLASS monocrystallins 290-295-300Wp | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Sunerg | | X-Max Plus monocrystallins 300-305-310Wp | Large Clamps | Large Clamps | NO | Model 1 | 1645 x 990 x 35mm A : 18mm B : 18mm | |
| Suniva | | Suniva- Optimus serie OPT XXX-60-4-1B0 (255/260/265/270) | Large Clamps | Large Clamps | NO | NO | 1652 x 982 x 40mm A : 30mm B : 30mm | |
| SunnySwiss | | SSM /X72 (160 à 185w) | NO | NO | NO | NO | 1574 x 808 x 35mm A : 19,5mm B : 35mm | |
| Sunport | | SPP-XXXP60 (270/275/280/285/290) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Sunport | | SPP-XXXM60B (280/285/290/295/300) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Sunpower | | E19 238 | NO | NO | NO | NO | 1559 x 798 x 46mm A : 22mm B : 32mm | |
| Sunpower | | E18 305 | NO | NO | NO | NO | 1559 x 1002 x 46mm A : mm B : mm | |
| Sunpower | | E18 / 225 (SPR-225E-BLK-D) | NO | NO | NO | NO | 1559 x 798 x 46mm A : 32mm B : 32mm | |
| Sunpower | | Solaire 210N - SPR-210N-WHT-I | NO | NO | NO | NO | 1559 x 798 x 46mm A : 22mm B : 32mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stenght bar |
|----------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|--|-------------|
| Sunpower | | Solaire 225 | NO | NO | NO | NO | 1559 x 798 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-245NE-WHT-D, SPR-240NE-WHT-D | NO | NO | NO | NO | 1559 x 798 x 46mm A : 32mm B : 32mm | |
| Sunpower | | SPR-XXXNE-WHT/BLK-D (310/315/320/327/333) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-XXE-WHT/BLK-D (310/315/320/327/333) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-E19/E20-xxx(-BLK) (310/315/320/327/333) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-E19/E20-xxx-COM (310/315/320/327/333) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-X20/X21/X22-xxx (-BLK) (327/335/345) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-X20/X21/X22-xxx-COM (327/335/345) | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunpower | | SPR-300-WHT-I | NO | NO | Normal Clamps | NO | 1559 x 1046 x 46mm A : 22mm B : 32mm | |
| Sunrise | | SR-M572xxx 175 à 190 et SR-M572xxx-1 (195 à 205) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Sunrise | | SR-M660xxx 225/230/235/240/245/250/255/260 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1637 x 992 x 50mm A : 35mm B : 35mm | |
| Sunrise | | SR-M660xxx-B 225 à 260W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1637 x 992 x 40mm A : 35mm B : 35mm | |
| Sunrise | | SR-M648xxx | NO | NO | NO | NO | 1316 x 992 x 35mm A : 35mm B : 35mm | |
| Sunrise | | SR-P660xxx 215/220/225/230/235/240/245 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1637 x 992 x 40mm A : 35mm B : 35mm | |
| Sunrise | | SR-P660xxx (240/245/250/255) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1637 x 992 x 40mm A : 30mm B : 30mm | |
| Sunset | | Série AS (200/210/220/230/240/250-60 (Edition 02) | Normal Clamps | Normal Clamps | NO | NO | 1657 x 997 x 47mm A : 20mm B : 20mm | |
| Sunsolar | | Sterling SS MONO 250 AB - Black | Normal Clamps | Normal Clamps | NO | Model 1 | 1663 x 997 x 42mm A : 37mm B : 37mm | |
| Suntech | | STP185S-24/Ac (170/180/175) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP185S 24/Adb+ 185 190 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP185S 24/AD 180 185 190 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP195S-24ad/+ 190 et 195 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP195S black label | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | YES | STP245S-20/wd (245 et 250w) | Large Clamps | Large Clamps | NO | NO | 1665 x 991 x 50mm A : 35mm B : 35mm | |
| Suntech | YES | STP250S-20/Wd 245 et 250 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| Suntech | YES | STP250S-20/Wd 255 et 260 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP205+ S-18/Ud | NO | NO | NO | NO | 1482 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | | STPXXX -18/Ub-1 (190/200/210) | NO | NO | NO | NO | 1482 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | | STPXXXS-20/Web (265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | | HyPro STPXXXS-20/Wem (285/290/295) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | | Pluto 195 et 200 Ade | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP175S-24/Ab - 1 | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Stength bar |
|-------------|-----|---|--------------------------------|--------------------------------|------------------------|--------------|--|-------------|
| Suntech | | STP 275-24/VD | NO | NO | NO | NO | 1956 x 992 x mm A : 35mm B : 35mm | |
| Suntech | | STP280-24/Vd | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Suntech | | STP205S - 24/Ad+ (200 et 195) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Suntech | YES | STP255 - 20/wd (250 et 245) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | | STP275S - 20/wem - 275Wp | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | YES | Pluto 245, 250, 255 - Wdm | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 35mm B : 35mm | |
| Suntech | YES | Pluto 235,240,245 - Wdm | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| Suntech | | STPxxx - 18/Ud (190/200/210) | NO | NO | NO | NO | 1482 x 992 x 35mm A : 35mm B : 35mm | |
| Suntellite | | ZDNY-240C60 (240,245,250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 45mm A : 35mm B : 35mm | |
| Suntellite | | ECO MODULE MONOCRYSTALLINE - ECO-XXXC60 (240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Sunways | | SM 240U polycristallin (SM230UD2A/SM235UD2A/SM245UD2A/250UD2A) | Normal Clamps | Normal Clamps | NO | Model 1 | 1642 x 994 x 40mm A : 30mm B : 30mm | |
| Systovi | | V-SYS PRO (260/285/290/295/300) | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 988 x 35mm A : 35mm B : 35mm | |
| Talesun | | TP660M (230/235/240/245/250/255/260) // (265/270/275/280) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 40mm A : 35mm B : 35mm | |
| Talesun | | TP660P (255/260/265/270) | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 35mm A : 35mm B : 35mm | |
| Tenesol | | TE-220-240-60P+ (ancien cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 31mm B : 31mm | |
| Tenesol | | TE-220-240-60P+ (nouveau cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 16mm B : 16mm | |
| Tenesol | | TE235-250-60M+ All Black (ancien cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 31mm B : 31mm | |
| Tenesol | | TE235-250-60M+ All Black (nouveau cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 16mm B : 16mm | |
| Tenesol | | TE240-250-60M+ (ancien cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 31mm B : 31mm | |
| Tenesol | | TE240-250-60M+ (nouveau cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 16mm B : 16mm | |
| Tenesol | | TE255-265M+ (ancien cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 31mm B : 31mm | |
| Tenesol | | TE255-265M+ (nouveau cadre) | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 16mm B : 16mm | |
| Tenesol | | TE 2200 | Large Clamps | Large Clamps | NO | NO | 1660 x 990 x 50mm A : 15mm B : 16mm | |
| Tenesol | | FRAME AFSUD 2012 | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 15mm B : 16mm | |
| Tera Roots | | West-60-2503BB | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 991 x 40mm A : 30mm B : 30mm | |
| TG Solar | | 190W mono HSTAF12190M.48 | NO | NO | NO | NO | 1353 x 996 x 46mm A : mm B : mm | |
| TG Solar | | 215W mono HSTAF12215M.54 | NO | NO | NO | NO | 1512 x 996 x 46mm A : mm B : mm | |
| Trina Solar | YES | TSM-PC05 et TSM-PC05.08 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Trina Solar | YES | TSM-PC05A "Honey" (245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 40mm A : 35mm B : 35mm | |
| Trina Solar | YES | TSM-PC05A "Honey" (260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | | TSM-DC01A et DC01A.05 185 190 195 | NO | NO | NO | NO | 1581 x 809 x 40mm A : 40mm B : 40mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibility hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|------------------|-----|---|---------------------------------|---------------------------------|------------------------|--------------|---|--------------|
| Trina Solar | | TSM-DC80.08 185-210W | NO | NO | NO | NO | 1581 x 809 x 40mm A : 40mm B : 40mm | |
| Trina Solar | YES | TSM-PA05.08 (245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | YES | TSM-PC05A "Honey" (250/255/260) -Poly | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | YES | TSM-DC05A.05 "Honey TRIPLE NOIR"(260/265) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | YES | TSM-DC05A.08 "Honey"(260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | | TSM-DC01 | NO | NO | NO | NO | 1581 x 809 x 40mm A : 34mm B : 40mm | |
| Trina Solar | | Module Duomax TSM-PRG5 - polycristallin 260-270W | NO | NO | NO | NO | 1658 x 992 x 25mm A : mm B : mm | |
| Trina Solar | | Duomax Plus module TSM-DEG5 (II) / TSM-DEG5.07 (II) monocristallin | NO | NO | NO | NO | 1662 x 996 x 25mm A : mm B : mm | |
| Trina Solar | YES | Honey module TSM-PD05 - 60 cellules polycristallins 265-280W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | YES | Module Honey Plus TSM-DD05 A.08 (II) - 60 cellules monocristallins 275-295W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| Trina Solar | YES | Module Honey Plus TSM-DD05 (II) triple noir - 60 cellules poly 275-300W | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 35mm A : 35mm B : 35mm | |
| UE Solar | | ZHM 190 (150 à 195w) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| UE Solar | | ZHM230P (200-250) | Large Clamps | Large Clamps | NO | NO | 1640 x 990 x 50mm A : 35mm B : 35mm | |
| Ulica Solar | | Ulica UL-185D-72 | NO | NO | NO | NO | 1580 x 808 x 46mm A : mm B : 50mm | |
| Ulica Solar | | Ulica UL-250M-60 | Normal Clamps | Normal Clamps | NO | Model 1 | 1637 x 997 x 46mm A : 35mm B : 35mm | |
| Ulica Solar | | Ulica UL-XXXD-96 (250/255/260/265) | NO | NO | NO | NO | 1601 x 1061 x 46mm A : 35mm B : 35mm | |
| Ulica Solar | | UL-XXXP-60 (260/265/270) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1637 x 992 x 40mm A : 35mm B : 35mm | |
| Ulica Solar | | UL-XXXM-60 (265/270/275) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1637 x 992 x 40mm A : 35mm B : 35mm | |
| Union Solar | | US180M-72 (185, 190, 195) | NO | NO | NO | NO | 1580 x 808 x 35mm A : 35mm B : 35mm | |
| Union Solar | | US225P-60 (230/235/240) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | NO | 1640 x 992 x 50mm A : 35mm B : 35mm | |
| Union Solar | | US270P-72 (270/275/280/285/290) | NO | NO | NO | NO | 1955 x 992 x 50mm A : 35mm B : 35mm | |
| Union Solar | | US250M -96M(255/260/265) | NO | NO | NO | NO | 1590 x 1064 x 50mm A : 35mm B : 35mm | |
| Universal Energy | | UE-M250hr (230/235/240/245/250) | Large Clamps | Large Clamps | NO | Model 1 | 1658 x 990 x 40mm A : 28,5mm B : 28,5mm | |
| Universal Energy | | UE-M185hr (175/180/185/190) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 28,5mm B : 28,5mm | |
| Up Solar | | UP-M185M (165,170,175,180,185,190) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Up Solar | YES | UP-M210P (210/220/230/240) polycristallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Up Solar | | UP-M180P (180/190/200/210) | NO | NO | NO | NO | 1482 x 992 x 40mm A : 35mm B : 35mm | |
| Up Solar | YES | UP-M230M (210/220/230/235/240/245/250/255) monocristallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Up Solar | | UP-MXXXM (185/190/195/200/205) | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Up Solar | YES | UP-MXXXM (240/245/250/255/260) monocristallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Up Solar | | UP-MXXXM (285/290/395/300/305) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatilby hereunder have been checked using dimensionalsinformation from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxHx mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|--------------|-----|---|--------------------------------|--------------------------------|---------------------|--------------|--|--------------|
| Up Solar | | UP-MXXXP (200/205/210/215) | NO | NO | NO | NO | 1482 x 992 x 40mm A : 35mm B : 35mm | |
| Up Solar | YES | UP-MXXXP (240/245/250/255/260) polycrystallins | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Up Solar | | UP-MXXXP (270/275/280/285/290) | NO | NO | NO | NO | 1956 x 992 x 50mm A : 35mm B : 35mm | |
| Vaillant | | AuroPower VPV P 295/1 M BBF | Large Clamps | Large Clamps | NO | Model 1 | 1660 x 990 x 40mm A : 13,7mm B : 30mm | |
| Viessmann | | VITOVOLT 300 - Typ P2550A, P2600A, P2650A (255/260/265 Wc) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Viessmann | | VITOVOLT 300 - Typ M2750A, M2800A, M2850A monokristalline (275/280/285 W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Viessmann | | VITOVOLT 300 - Typ M2950A, M3000A monokristalline (295/300 W) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Viessmann | | VITOVOLT 200 - Typ PXXXJB (240/245/250) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 35mm B : 35mm | |
| Viessmann | | VITOVOLT 300 - Typ MXXXMSBC (260/265/270) | Large Clamps | Large Clamps | NO | NO | 1639 x 983 x 40mm A : 32mm B : 32mm | |
| Viessmann | | VITOVOLT 300 - Typ PXXXPSEB (250/255/260) | Large Clamps | Large Clamps | NO | Model 1 | 1654 x 989 x 40mm A : 13,9mm B : 13,9mm | |
| Viessmann | | VITOVOLT 300 - Typ PXXXPGHA (250/255) | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 42mm A : 32mm B : 32mm | |
| Viessmann | YES | VITOVOLT 300MxxxAA-typ +O1009:AY1009M290AA, M295AA, M300AA (270 to 300Wc) | Large Clamps | Large Clamps | NO | Model 1 | 1654 x 989 x 40mm A : 13,9mm B : 13,9mm | |
| Viessmann | YES | VITOVOLT 300PxxxAB-typ (250 to 275Wc) | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 990 x 40mm A : 13,9mm B : 13,9mm | |
| Viessmann | YES | VITOVOLT 300PxxxAA-typ P260AA, 265AA (250 to 275Wc) | Large Clamps | Large Clamps | NO | Model 1 | 1654 x 989 x 40mm A : 13,9mm B : 13,9mm | |
| Viessmann | YES | VITOVOLT 300MxxxAB-typ P260AA, P265AA, P270AA (270 to 300Wc) | Large Clamps | Large Clamps | NO | Model 1 | 1654 x 989 x 40mm A : 13,9mm B : 13,9mm | |
| Viessmann | YES | VITOVOLT 300M295-3000A all black-typ M2900A, M2950A, M3000A (260 to 300Wc) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Viessmann | YES | VITOVOLT 300M295-3000A-typ M2900A, M2950A, M3000A (260 to 300Wc) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 34mm B : 34mm | |
| Viessmann | YES | VITOVOLT 300MxxxPA all black-typ M290PA, M295PA, M300PA (270 to 300Wc) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Viessmann | YES | VITOVOLT 300MxxxPA-typ M290PA, M295PA, M300PA (270 to 300Wc) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Viessmann | YES | VITOVOLT 300PxxxPA-typ P265PA, P270PA, P275PA (250 to 290Wc) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 35mm A : 32mm B : 32mm | |
| Viessmann | YES | VITOVOLT 300PxxxLA-typ... | Large Clamps | Large Clamps | NO | Model 1 | 1640 x 990 x 35mm A : 35mm B : 35mm | |
| Viessmann | | VITOVOLT 300PxxxOA - 250 à 270 Wc | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1640 x 992 x 40mm A : 32mm B : 32mm | |
| Vikram | | ELDORA PRIME SERIES (60cells) VSP.60.AAA.03.01 - Type : 250 - P (235/240/245/250/255/260 Wp) | Large Clamps | Large Clamps | NO | NO | 1639 x 982 x 36mm A : 25,4mm B : 25,4mm | |
| VMH Energies | | VMH Polycrystallin 250-6-60-P | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1648 x 992 x 40mm A : 21mm B : 21mm | |
| Voltea | | PSPXXXP(240/245/250) - PSPXXX(250/255/260/265) - XXXM2 (250/255/260/265/270) | Large Clamps | Large Clamps | NO | Model 1 | 1648 x 988 x 40,6mm A : 10,1mm B : 26,4mm | |
| Voltec | YES | VSPS classic 240/245/250/255 polycrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 1001 x 42mm A : 37mm B : 37mm | |
| Voltec | YES | VSMS Classic 250/255/260/265 monocrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 1001 x 42mm A : 37mm B : 37mm | |
| Voltec | YES | TARKA Light monocrystallins | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 1001 x 42mm A : 21,9mm B : 21,9mm | |
| Voltec | | BIVA-60-XXX-4BB - Monocrystallins et Polycrystallins | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 998 x 42mm A : 30mm B : 30mm | |
| Voltec | YES | TARKA VSPS Polycrystallins (260/265/270/275) et VSMS Monocrystallins (270/275/280/285/290/295/300) | Normal Clamps | Normal Clamps | NO | Model 1 | 1660 x 998 x 42mm A : 30mm B : 30mm | |
| Voltec | YES | BIVA VSPB bi-verre Polycrystallins (250/255/260/265) et VSMB bi-verre Monocrystallins (265/270/275/280) | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 998 x 42mm A : 37mm B : 37mm | |

Modules mechanical compatibility list for Easy-roof Evolution / Shadow Solar V10.5

Compatibilité hereunder have been checked using dimensionals information from modules manufacturer. IRFTS is not responsible for any error on the data used hereunder or if modules dimensions have been changed by modules manufacturers.

It's user's responsibility to check that dimensions in the chart are the same as the module he wants to use.

The installation manual of the photovoltaic module manufacturer must be observed. It's up to the installer to validate the recommendations if the module manufacturer are respected when the module is mounted with the mounting system.

This compatibility list is not exhaustive. For any module not listed please send us a request by email and attach to this email the module's datasheet (including a frame cross section).

EASY ROOF EVOLUTION Product - Attention for module's high (thickness) lower than 40 mm please use IRFTS flange's screw referenced V012V02.

The module has to be also conform with the conditions mentioned on assembly instructions (chapter X). Otherwise, for an easy mounting for portrait format we recommend to install the module with "junction box " in Rake/Slope low position.

Format L1 : for mounting with locking bars and deflectors, please refer to the mounting notice - annex 6 for checking the modul compatibility.

| Brand | ETN | Reference | Format L-1 portrait | Format M-1 landscape | Format O-1 portrait | Shadow Solar | Modules dimensions : LxIxh mm - Back profile width side (A)- Back profile length side (B) | Strength bar |
|-----------------|-----|---|---------------------------------|---------------------------------|---------------------|--------------|---|--------------|
| Voltec | | BIVA - panneaux bi-verres mono et polycristallins VSMB et VSPB | Normal Clamps | Normal Clamps | NO | Model 2 | 1680 x 998 x 42mm A : 37mm B : 37mm | |
| WanXiang Solar | | WXS185S | NO | NO | NO | NO | 1580 x 808 x 40mm A : 35mm B : 35mm | |
| Waris | | SERIE WRS ST60 CELLULES - WRSXXXST60F (230/235/240/245/250/255/260) | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1650 x 992 x 38mm A : 26mm B : 26mm | |
| Webel | | serie W1800 | NO | NO | NO | NO | 1482 x 992 x 42mm A : 30mm B : 30mm | |
| Webel | | serie w2100 | NO | NO | NO | NO | 1455 x 1050 x 42mm A : 30mm B : 30mm | |
| Webel Solar | | W2300 | Normal Clamps Large Clamps | Normal Clamps Large Clamps | NO | Model 1 | 1645 x 992 x 42mm A : 30mm B : 30mm | |
| Winaico | | WSP-260M6 | NO | NO | NO | Model 1 | 1665 x 999 x 45mm A : 50mm B : 50mm | |
| Winaico | | WSP-xxxP6 (180/185/190/195) | NO | NO | NO | NO | 1347 x 999 x 40mm A : 50mm B : 50mm | |
| Winaico | | WSP-xxxM6 (240/245/250/255/260/265) | NO | NO | NO | Model 1 | 1665 x 999 x 40mm A : 50mm B : 50mm | |
| Winaico | | WSP-xxxP6 (230/235/240/245/250/255) | NO | NO | NO | Model 1 | 1665 x 999 x 40mm A : 50mm B : 50mm | |
| Winaico | | WST-xxxP6 (235/240/245/250) | Normal Clamps | Normal Clamps | NO | Model 1 | 1665 x 999 x 35mm A : 30mm B : 30mm | |
| Wolt Technology | | PWM-185W | NO | NO | NO | NO | 1580 x 808 x 46mm A : 35mm B : 35mm | |
| X group | | XG60P (215/220/225/230/235) | NO | NO | NO | NO | 1650 x 980 x 40mm A : 35mm B : 35mm | |
| X group | | XG48P actuel | NO | NO | NO | NO | 1335 x 980 x 35mm A : 27mm B : 27mm | |
| X group | | XG48P futur | NO | NO | NO | NO | 1335 x 980 x 35mm A : 35mm B : 35mm | |
| Yingli Solar | YES | YL 235P-29b-PC (235p-29b-PC) polycristallins | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 32mm B : 32mm | |
| Yingli Solar | YES | Panda 265 | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 32mm B : 32mm | |
| Yingli Solar | | YL 185 P-23b | NO | NO | NO | NO | 1310 x 990 x 40mm A : 32mm B : 32mm | |
| Yingli Solar | | YL 210 P-26b | NO | NO | NO | NO | 1495 x 990 x 40mm A : 32mm B : 32mm | |
| Yingli Solar | YES | YL245C-30b (250/255/260) série 260 polycristallins | Large Clamps | Large Clamps | NO | Model 1 | 1650 x 990 x 40mm A : 32mm B : 32mm | |